




12th Edition



Sandra Lee | William Trench | Andrew Willis

Willis's Elements of Quantity Surveying



WILEY Blackwell

**Willis's
Elements of
Quantity Surveying**

Willis's Elements of Quantity Surveying

Twelfth Edition

Sandra Lee

MSc, FRICS, MCIQB

William Trench

FRICS

Andrew Willis

BSc, FRICS, DipArb, FCI Arb

WILEY Blackwell

This edition first published 2014

© 2014 Sandra Lee, William Trench, Andrew Willis and the estate of Christopher J Willis

© 2011 Christopher J Willis, Andrew Willis, William Trench and Sandra Lee

Registered Office

John Wiley & Sons, Ltd, The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, United Kingdom.

Editorial Offices

9600 Garsington Road, Oxford, OX4 2DQ, United Kingdom.

The Atrium, Southern Gate, Chichester, West Sussex, PO19 8SQ, United Kingdom.

For details of our global editorial offices, for customer services and for information about how to apply for permission to reuse the copyright material in this book please see our website at www.wiley.com/wiley-blackwell.

The right of the author to be identified as the author of this work has been asserted in accordance with the UK Copyright, Designs and Patents Act 1988.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted, in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, except as permitted by the UK Copyright, Designs and Patents Act 1988, without the prior permission of the publisher.

Designations used by companies to distinguish their products are often claimed as trademarks. All brand names and product names used in this book are trade names, service marks, trademarks or registered trademarks of their respective owners. The publisher is not associated with any product or vendor mentioned in this book.

Limit of Liability/Disclaimer of Warranty: While the publisher and author(s) have used their best efforts in preparing this book, they make no representations or warranties with respect to the accuracy or completeness of the contents of this book and specifically disclaim any implied warranties of merchantability or fitness for a particular purpose. It is sold on the understanding that the publisher is not engaged in rendering professional services and neither the publisher nor the author shall be liable for damages arising herefrom. If professional advice or other expert assistance is required, the services of a competent professional should be sought.

Library of Congress Cataloging-in-Publication Data

Lee, Sandra Jean, 1953–

Willis's elements of quantity surveying / Sandra Jean Lee, William Trench,

James Andrew Willis. – 12th Edition.

pages cm

Based on an original work: Elements of quantity surveying / Arthur James Willis. 1935.

Includes bibliographical references and index.

ISBN 978-1-118-49920-7 (pbk.)

1. Building–Estimates. 2. Quantity surveying. I. Willis, Andrew, 1957– II. Trench, William, 1937– III. Title. IV. Title: Elements of quantity surveying.

TH435.W685 2014

692'.5–dc23

2013030752

A catalogue record for this book is available from the British Library.

Wiley also publishes its books in a variety of electronic formats. Some content that appears in print may not be available in electronic books.

Cover image: courtesy of Shutterstock.com

Cover design by Sandra Heath

Set in 10.5/13pt Minion by SPi Publisher Services, Pondicherry, India

Contents

<i>Preface</i>	vi
<i>Acknowledgements</i>	viii
<i>Abbreviations</i>	ix
1 Introduction	1
2 Detailed Measurement	4
3 The Use of the RICS <i>New Rules of Measurement</i> (NRM)	10
4 Setting Down Dimensions	37
5 Alternative Systems	56
6 Preliminary Calculations	63
7 General Principles for Taking-off	70
8 Substructures	85
9 Walls	112
10 Floors	136
11 Roofs	147
12 Internal Finishes	180
13 Windows and Doors	191
14 Reinforced Concrete Structures	212
15 Structural Steelwork	225
16 Plumbing	235
17 Drainage	255
18 External Works	265
19 Demolitions, Alterations and Renovations	277
20 Preliminaries and Other Priced Bill Sections	286
21 Bill Preparation	291
<i>Appendix: Mathematical Formulae and Applied Mensuration</i>	308
<i>Index</i>	326

Preface

This book was first published in 1935, and in the preface to that first edition it stated that it was intended 'to be a book giving everything in its simplest form and to assist a student to a good grounding in first principles'. Each successive edition has been brought up to date; however, we have always striven to maintain the original guiding principles, which are as relevant today as they were 70 years ago.

Whilst the use of the traditional bill of quantities continues to decline and today is only one of a variety of options open to the industry for the procurement of construction contracts, nevertheless, the skills of measurement are still very much required in some form or another under most procurement routes.

This edition recognises the publication by the Royal Institution of Chartered Surveyors (RICS) of the second volume of the *New Rules of Measurement – Detailed Measurement for Building Works* (NRM2), and the text has been updated accordingly.

The basic structure of the book generally follows that of previous editions, setting down the measurement process from first principles and assuming the reader is coming fresh to the subject.

Whilst it is recognised that modern computerised measurement techniques utilising standard descriptions might appear far removed from traditional taking-off, it is only by fully grasping such basic principles of measurement that they can be adapted and applied to alternative systems. It is for this reason that the examples continue to be written in traditional form.

The book opens with an overview of the need for measurement and the differing rules governing measurement at different stages of the design or project cycle. The main focus of the book remains on the detailed measurement of elements of a building using the rules from NRM2 and concludes with guidance on how to use the data collected during the measurement process to create the tender documents.

Whilst the role of the quantity surveyor is subject to continual change, we hope that students will find this book as useful as their predecessors have.

Sandra Lee
William Trench
Andrew Willis

Acknowledgements

We are indebted to Ruth Pearson, who prepared the drawings. Her efforts are gratefully acknowledged.

Abbreviations

a.b.	as before
a.b.d.	as before described
agg.	aggregate
BCIS	Building Cost Information Service
BS	British Standard
CAWS	Common Arrangement of Work Sections
c/c	centres
ddt	deduct
diam.	diameter
d.p.c.	damp proof course
d.p.m.	damp proof membrane
EDI	Electronic Data Interchange
e.w.s.	earth work support
ex	out of
hw.	hardwood
JCT	Joint Contracts Tribunal
n.t.s.	not to scale
PC	Prime Cost
MC	Measurement Code
n.e.	not exceeding
<i>NRM</i>	<i>New Rules of Measurement – Order of cost estimating and elemental cost planning</i>
r.c.	reinforced concrete
RIBA	Royal Institute of British Architects
RICS	Royal Institution of Chartered Surveyors
r.w.p.	rainwater pipe
SMM	Standard Method of Measurement
sw.	softwood
swg	standard wire gauge

Chapter 1

Introduction

The modern quantity surveyor

The training and knowledge of the quantity surveyor have enabled the role of the profession to evolve over time into new areas, and the services provided by the modern quantity surveyor now cover all aspects of procurement, contractual and project cost management. This holds true whether the quantity surveyor works as a consultant or is employed by a contractor or subcontractor. Whilst the importance of this expanded role cannot be emphasised enough, success in carrying it out stems from the traditional ability of the quantity surveyor to measure and value. It is on the aspect of measurement that this book concentrates.

The need for measurement

There is a need for measurement of a proposed construction project at various stages from the feasibility stage through to the final account. This could be in order to establish a budget price, give a pre-tender estimate, provide a contract tender sum or evaluate the amount to be paid to a contractor. There are many construction or project management activities that require some form of measurement so that appropriate rates can be applied to the quantities and a price or cost established.

The general approach adopted in this book is to concentrate on the traditional approach to construction whereby the client will employ a designer, and once the design is complete the work is tendered through the use of bills of quantities. Other procurement approaches move the

need for detailed measurement to later stages of the project cycle and away from activity undertaken by the client's team to that of the contractor's team.

The need for rules

The need for rules to be followed when undertaking any measurement becomes clear when costs for past projects are analysed and elemental rates or unit rates are calculated and then applied to the quantities for a proposed project. For greater accuracy in pricing, it is important to be able to rely consistently on what is included in an element or unit, and this helps build a more reliable cost database.

Following the Royal Institute of British Architects (RIBA) 2013 Work Stages, the measurement undertaken at Stage 1 – 'Preparation' – needs to be of basic areas or functional units, and the guidelines of the Royal Institute of Chartered Surveyors (RICS) *Code of Measuring Practice* are commonly followed. This enables comparisons to be made between different schemes and options when assessing the feasibility of a project.

When preparing a cost plan, the need to include the same items in each element is important so that costs for that element can be accurately applied. In May 2009, the RICS published the first in its planned new set of rules for measurement dealing with the order of cost estimates and elemental cost planning. The RIBA work stages and the *New Rules of Measurement* (NRM) are explained further in Chapter 2.

The same need for rules applies when measuring for bills of quantities. If a document is to be used for tender purposes and included in a contract, then the contractor needs to know the basis of the measurement and what is included or excluded from an item to be priced. Historically, standard methods of measurement have been used to provide these rules and are available in various forms worldwide. The RICS NRM – detailed measurement for building works (NRM2) – have now been published and are part of the RICS 'black book' guidance for accepted practice in the United Kingdom. At post-contract stages, it is important that the rules used in the contract document (if applicable) are followed to minimise disputes.

Establishing the approach

The approach to take for any measurement is to decide its purpose and the level of design detail available, enabling the adoption of the most appropriate rules and procedures.

Chapter 3 will look at the early stages of a building project, and the remainder of the book will then focus on the detailed measurement for bills of quantities. Having an ability to read and understand the rules for measurement for bills of quantities should enable the measurer to appreciate the requirements of different rules and approaches.

Chapter 2

Detailed Measurement

Method of analysing cost

It is evident that if a building is divided up into its constituent parts, and the cost of each part can be estimated, an estimate can be compiled for the whole work. It was found in practice that by making a 'schedule' setting out the quantity of each item of work for a project, the labour and material requirements for these could be more readily assessed. This schedule at RIBA stage 5 can be in the form of a bill of quantities which, when priced by a contractor, provides a tender sum for a project. It must not be forgotten that a traditional bill of quantities only produces an estimate. It is prepared and priced before the erection of the building and gives the contractor's estimated cost. Such an estimated cost, however, under the most commonly used construction contracts, becomes a tender and a definite price for which the contractor agrees to carry out the work as set out in the bill. The bill must, therefore, completely represent the proposed work so that a serious discrepancy between actual and estimated cost does not arise.

Origin of the bill of quantities

Competitive tendering is one of the basic principles of most classes of business, and if competitors are given comprehensive details of the requirements it should be fair to all concerned. However, historically when tendering based on drawings and specification, builders found that considerable work was involved in making detailed calculations and measurements to form the basis for a tender. They realised that by getting

together and employing one person to make these calculations and measurements for them all, a considerable saving would be made in their overhead charges. They began to arrange for this to be done, each including the surveyor's fee for preparing the bill of quantities in their tender, and the successful competitor paying. Each competing builder was provided with the same bill of quantities which could then be priced in a comparatively short space of time. It was not long before this situation was realised by the architect and employer. Here the employer was paying indirectly for the quantity surveyor through the builder, whereas the surveyor could be used as a consultant if a direct appointment was made. This would give the employer greater control over the amount paid to the surveyor and the opportunity to increase the service that was provided. In this way, the quantity surveyor began to get the authority of the employer and was employed to prepare a bill of quantities for tendering purposes.

The measurement process

The main purpose of a bill of quantities is therefore for tendering. Each contractor tendering for a project is able to price the work on exactly the same information with a minimum of effort. This gives rise to the fairest type of competition.

Despite the demise of bills of quantities on large projects, over 50% of the value of all building work in the United Kingdom is still let using lump-sum contracts with firm or approximate quantities. Most other procurement routes, such as design and build and management contracting in its various forms, also involve quantification of the work in some form or other by the main contractor, subcontractor or package contractor, and therefore the measurement process continues to be of importance.

Computerised and other alternative measurement systems have become more and more widely used. However, it is only by having a detailed understanding of the traditional method of setting down dimensions and framing descriptions that such systems can be fully understood and properly utilised. There continues to be development of 3D computer-aided design software that integrates with building information modelling, and the potential exists to generate quantities directly from the computer model. These software programs, however, have difficulty in producing quantities in accordance with any standard method and as yet have not removed the need for the quantity surveyor to prepare the tender and contract documents.