

GLOBAL
EDITION



Sears & Zemansky's

University Physics

with Modern Physics

FOURTEENTH EDITION

Hugh D. Young • Roger A. Freedman



ALWAYS LEARNING

PEARSON



SEARS AND ZEMANSKY'S

UNIVERSITY PHYSICS

WITH MODERN PHYSICS

14TH EDITION

GLOBAL EDITION

HUGH D. YOUNG

ROGER A. FREEDMAN

University of California, Santa Barbara

CONTRIBUTING AUTHOR

A. LEWIS FORD

Texas A&M University

PEARSON

Editor in Chief, Physical Sciences: Jeanne Zalesky
Executive Editor: Nancy Whilton
Senior Acquisitions Editor, Global Edition: Priyanka Ahuja
Project Manager: Beth Collins
Project Editor, Global Edition: K.K. Neelakantan
Program Manager: Katie Conley
Executive Development Editor: Karen Karlin
Assistant Editor: Sarah Kaubisch
Rights and Permissions Project Manager: William Opaluch
Rights and Permissions Management: Lumina Datamatics
Development Manager: Cathy Murphy
Program and Project Management Team Lead: Kristen Flathman
Production Management: Cindy Johnson Publishing Services

Copyeditor: Carol Reitz
Senior Production Manufacturing Controller, Global Edition:
Trudy Kimber
Design Manager: Mark Ong
Interior and Cover Designer: Cadence Design Studio
Illustrators: Rolin Graphics, Inc.
Photo Permissions Management: Maya Melenchuk
and Eric Schrader
Photo Researcher: Eric Schrader
Senior Manufacturing Buyer: Maura Zaldivar-Garcia
Marketing Manager: Will Moore
Media Production Manager, Global Edition: Vikram Kumar

Pearson Education Limited
Edinburgh Gate
Harlow
Essex CM20 2JE
England

and Associated Companies throughout the world

Visit us on the World Wide Web at:
www.pearsonglobaleditions.com

© Pearson Education Limited 2016

The rights of Hugh D. Young and Roger A. Freedman to be identified as the authors of this work have been asserted by them in accordance with the Copyright, Designs and Patents Act 1988.

Authorized adaptation from the United States edition, entitled University Physics with Modern Physics, 14th edition, ISBN 978-0-321-97361-0, by Hugh D. Young and Roger A. Freedman published by Pearson Education © 2016.

All rights reserved. No part of this publication may be reproduced, stored in a retrieval system, or transmitted in any form or by any means, electronic, mechanical, photocopying, recording or otherwise, without either the prior written permission of the publisher or a license permitting restricted copying in the United Kingdom issued by the Copyright Licensing Agency Ltd, Saffron House, 6–10 Kirby Street, London EC1N 8TS.

All trademarks used herein are the property of their respective owners. The use of any trademark in this text does not vest in the author or publisher any trademark ownership rights in such trademarks, nor does the use of such trademarks imply any affiliation with or endorsement of this book by such owners.

British Library Cataloguing-in-Publication Data

A catalogue record for this book is available from the British Library

10 9 8 7 6 5 4 3 2 1

ISBN 10: 1-292-10031-1

ISBN 13: 978-1-292-10031-9

Typeset by Cenveo® Publisher Services

Printed and bound by Courier Kendallville in the United States of America

BRIEF CONTENTS

MECHANICS

1	Units, Physical Quantities, and Vectors	25
2	Motion Along a Straight Line	58
3	Motion in Two or Three Dimensions	91
4	Newton's Laws of Motion	125
5	Applying Newton's Laws	154
6	Work and Kinetic Energy	196
7	Potential Energy and Energy Conservation	227
8	Momentum, Impulse, and Collisions	261
9	Rotation of Rigid Bodies	297
10	Dynamics of Rotational Motion	327
11	Equilibrium and Elasticity	363
12	Fluid Mechanics	393
13	Gravitation	422
14	Periodic Motion	457

WAVES/ACOUSTICS

15	Mechanical Waves	492
16	Sound and Hearing	529

THERMODYNAMICS

17	Temperature and Heat	569
18	Thermal Properties of Matter	608
19	The First Law of Thermodynamics	642
20	The Second Law of Thermodynamics	671

ELECTROMAGNETISM

21	Electric Charge and Electric Field	707
22	Gauss's Law	746
23	Electric Potential	776
24	Capacitance and Dielectrics	809
25	Current, Resistance, and Electromotive Force	840

26	Direct-Current Circuits	872
27	Magnetic Field and Magnetic Forces	905
28	Sources of Magnetic Field	945
29	Electromagnetic Induction	979
30	Inductance	1014
31	Alternating Current	1044
32	Electromagnetic Waves	1074

OPTICS

33	The Nature and Propagation of Light	1102
34	Geometric Optics	1135
35	Interference	1184
36	Diffraction	1210

MODERN PHYSICS

37	Relativity	1242
38	Photons: Light Waves Behaving as Particles	1278
39	Particles Behaving as Waves	1303
40	Quantum Mechanics I: Wave Functions	1345
41	Quantum Mechanics II: Atomic Structure	1384
42	Molecules and Condensed Matter	1431
43	Nuclear Physics	1464
44	Particle Physics and Cosmology	1505

APPENDICES

A	The International System of Units	1547
B	Useful Mathematical Relations	1549
C	The Greek Alphabet	1550
D	Periodic Table of the Elements	1551
E	Unit Conversion Factors	1552
F	Numerical Constants	1553
	Answers to Odd-Numbered Problems	1555
	Credits	1569
	Index	1573

THE BENCHMARK FOR CLARITY AND RIGOR

Since its first edition, *University Physics* has been renowned for its emphasis on fundamental principles and how to apply them. This text is known for its clear and thorough narrative and for its uniquely broad, deep, and thoughtful set of worked examples—key tools for developing both conceptual understanding and problem-solving skills.

The **Fourteenth Edition** improves the defining features of the text while adding new features influenced by physics education research. A focus on visual learning, new problem types, and pedagogy informed by MasteringPhysics metadata headline the improvements designed to create the best learning resource for today's physics students.

A FOCUS ON PROBLEM SOLVING

EXAMPLE 11.2 LOCATING YOUR CENTER OF GRAVITY WHILE YOU WORK OUT

The plank (Fig. 11.8a) is a great way to strengthen abdominal, back, and shoulder muscles. You can also use this exercise position to locate your center of gravity. Holding plank position with a scale under his toes and another under his forearms, one athlete measured that 66.0% of his weight was supported by his forearms and 34.0% by his toes. (That is, the total normal forces on his forearms and toes were $0.660w$ and $0.340w$, respectively, where w is the athlete's weight.) He is 1.80 m tall, and in plank position

the distance from his toes to the middle of his forearms is 1.53 m. How far from his toes is his center of gravity?

SOLUTION


IDENTIFY and SET UP: We can use the two conditions for equilibrium, Eqs. (11.6), for an athlete at rest. So both the net force and net torque on the athlete are zero. Figure 11.8b shows a free-body diagram, including x - and y -axes and our convention that counterclockwise torques are positive. The weight w acts at the center of gravity, which is between the two supports (as it must be; see Section 11.2). Our target variable is the distance L_{cg} , the lever arm of the weight with respect to the toes T , so it is wise to take torques with respect to T . The torque due to the weight is negative (it tends to cause a clockwise rotation around T), a upward normal force at the forearms F is p a counterclockwise rotation around T .

EXECUTE: The first condition for equilibrium $\sum F_x = 0$ because there are no x -comp because $0.340w + 0.660w + (-w) = 0$, equation and solve for L_{cg} :

$$\begin{aligned} \sum \tau_T = 0.340w(0) - wL_{cg} + 0.660 \\ L_{cg} = 1.01 \text{ m} \end{aligned}$$

EVALUATE: The center of gravity is slight navel (as it is for most people) and closer his toes, which is why his forearms support. You can check our result by writing the torque for the forearms F . You'll find that his center of gravity is, or $(1.53 \text{ m}) - (0.52 \text{ m}) = 1.01$

11.8 An athlete in plank position.



NOTES

◀ A research-based **PROBLEM-SOLVING APPROACH—IDENTIFY, SET UP, EXECUTE, EVALUATE**—is used in every Example and throughout the Student's and Instructor's Solutions Manuals and the Study Guide. This consistent approach teaches students to tackle problems thoughtfully rather than cutting straight to the math.

PROBLEM-SOLVING STRATEGY 3.1 PROJECTILE MOTION

NOTE: The strategies we used in Sections 2.4 and 2.5 for straight-line, constant-acceleration problems are also useful here.

IDENTIFY the relevant concepts: The key concept is that throughout projectile motion, the acceleration is downward and has a constant magnitude g . Projectile-motion equations don't apply to *throwing* a ball, because during the throw the ball is acted on by both the thrower's hand and gravity. These equations apply only *after* the ball leaves the thrower's hand.

SET UP the problem using the following steps:

1. Define your coordinate system and make a sketch showing your axes. It's almost always best to make the x -axis horizontal and the y -axis vertical, and to choose the origin to be where the body first becomes a projectile (for example, where a ball leaves the thrower's hand). Then the components of acceleration are $a_x = 0$ and $a_y = -g$, as in Eq. (3.13); the initial position is $x_0 = y_0 = 0$; and you can use Eqs. (3.19) through (3.22). (If you choose a different origin or axes, you'll have to modify these equations.)
2. List the unknown and known quantities, and decide which unknowns are your target variables. For example, you might be given the initial velocity (either the components or the magnitude and direction) and asked to find the coordinates and velocity components at some later time. Make sure that

you have as many equations as there are target variables to be found. In addition to Eqs. (3.19) through (3.22), Eqs. (3.23) through (3.26) may be useful.

3. State the problem in words and then translate those words into symbols. For example, *when* does the particle arrive at a certain point? (That is, at what value of t ?) *Where* is the particle when its velocity has a certain value? (That is, what are the values of x and y when v_x or v_y has the specified value?) Since $v_y = 0$ at the highest point in a trajectory, the question "When does the projectile reach its highest point?" translates into "What is the value of t when $v_y = 0$?" Similarly, "When does the projectile return to its initial elevation?" translates into "What is the value of t when $y = y_0$?"

EXECUTE the solution: Find the target variables using the equations you chose. Resist the temptation to break the trajectory into segments and analyze each segment separately. You don't have to start all over when the projectile reaches its highest point! It's almost always easier to use the same axes and time scale throughout the problem. If you need numerical values, use $g = 9.80 \text{ m/s}^2$. Remember that g is positive!

EVALUATE your answer: Do your results make sense? Do the numerical values seem reasonable?

PROBLEM-SOLVING STRATEGIES ▶

coach students in how to approach specific types of problems.

BRIDGING PROBLEM HOW LONG TO DRAIN?

A large cylindrical tank with diameter D is open to the air at the top. The tank contains water to a height H . A small circular hole with diameter d , where $d \ll D$, is then opened at the bottom of the tank (Fig. 12.32). Ignore any effects of viscosity. (a) Find y , the height of water in the tank a time t after the hole is opened, as a function of t . (b) How long does it take to drain the tank completely? (c) If you double height H , by what factor does the time to drain the tank increase?

SOLUTION GUIDE


IDENTIFY and SET UP

1. Draw a sketch of the situation that shows all of the relevant dimensions.
2. List the unknown quantities, and decide which of these are the target variables.
3. At what speed does water flow out of the bottom of the tank? How is this related to the volume flow rate of water out of the tank? How is the volume flow rate related to the rate of change of y ?

EXECUTE

4. Use your results from step 3 to write an equation for dy/dt .
5. Your result from step 4 is a relatively simple differential equation. With your knowledge of calculus, you can integrate it to find y as a function of t . (*Hint:* Once you've done the integration, you'll still have to do a little algebra.)

12.32 A water tank that is open at the top and has a hole at the bottom.



6. Use your result from step 5 to find the time when the tank is empty. How does your result depend on the initial height H ?

EVALUATE

7. Check whether your answers are reasonable. A good check is to draw a graph of y versus t . According to your graph, what is the algebraic sign of dy/dt at different times? Does this make sense?



NOTES

◀ **BRIDGING PROBLEMS**, which help students move from single-concept worked examples to multi-concept problems at the end of the chapter, have been revised, based on reviewer feedback, ensuring that they are effective and at the appropriate difficulty level.

INFLUENCED BY THE LATEST IN EDUCATION RESEARCH

PEDAGOGY INFORMED BY DATA AND RESEARCH

DATA SPEAKS

Gravitation

When students were given a problem about superposition of gravitational forces, more than 60% gave an incorrect response. Common errors:

- Assuming that equal-mass objects *A* and *B* must exert equally strong gravitational attraction on an object *C* (which is not true when *A* and *B* are different distances from *C*).
- Neglecting to account for the vector nature of force. (To add two forces that point in different directions, you can't just add the force magnitudes.)

◀ **DATA SPEAKS SIDEBARS**, based on MasteringPhysics metadata, alert students to the statistically most common mistakes made in solving problems on a given topic.

Coordinates at time *t* of a projectile (positive *y*-direction is upward, and *x* = *y* = 0 at *t* = 0)

$$x = (v_0 \cos \alpha_0)t \quad (3.19)$$

$$y = (v_0 \sin \alpha_0)t - \frac{1}{2}gt^2 \quad (3.20)$$

Velocity components at time *t* of a projectile (positive *y*-direction is upward)

$$v_x = v_0 \cos \alpha_0 \quad (3.21)$$

$$v_y = v_0 \sin \alpha_0 - gt \quad (3.22)$$

Annotations: Speed at *t* = 0, Direction at *t* = 0, Time, Acceleration due to gravity: Note *g* > 0.

▲ All **KEY EQUATIONS ARE NOW ANNOTATED** to help students make a connection between a conceptual and a mathematical understanding of physics.


PASSAGE PROBLEMS

BIO PRESERVING CELLS AT COLD TEMPERATURES. In cryopreservation, biological materials are cooled to a very low temperature to slow down chemical reactions that might damage the cells or tissues. It is important to prevent the materials from forming ice crystals during freezing. One method for preventing ice formation is to place the material in a protective solution called a *cryoprotectant*. Stated values of the thermal properties of one cryoprotectant are listed here:

Melting point	−20°C
Latent heat of fusion	$2.80 \times 10^5 \text{ J/kg}$
Specific heat (liquid)	$4.5 \times 10^3 \text{ J/kg} \cdot \text{K}$

17.117 Careful measurements show that the specific heat of the solid phase depends on temperature (Fig. P17.117). How will the actual time needed for this cryoprotectant to come to equilibrium with the cold plate compare with the time predicted by using the values in the table? Assume that all values other than the specific heat (solid) are correct. The actual time (a) will be shorter; (b) will be longer; (c) will be the same; (d) depends on the density of the cryoprotectant.

Figure P17.117



▲ Each chapter includes three to five **PASSAGE PROBLEMS**, which follow the format used in the MCATs. These problems require students to investigate multiple aspects of a real-life physical situation, typically biological in nature, as described in a reading passage.

DATA PROBLEMS appear in each chapter. These data-based reasoning problems, many of which are context rich, require students to use experimental evidence, presented in a tabular or graphical format, to formulate conclusions. ▼

9.89 •• DATA You are rebuilding a 1965 Chevrolet. To decide whether to replace the flywheel with a newer, lighter-weight one, you want to determine the moment of inertia of the original, 35.6-cm-diameter flywheel. It is not a uniform disk, so you can't use $I = \frac{1}{2}MR^2$ to calculate the moment of inertia. You remove the flywheel from the car and use low-friction bearings to mount it on a horizontal, stationary rod that passes through the center of the flywheel, which can then rotate freely (about 2 m above the ground). After gluing one end of a long piece of flexible fishing line to the rim of the flywheel, you wrap the line a number of turns around the rim and suspend a 5.60-kg metal block from the free end of the line. When you release the block from rest, it descends as the flywheel rotates. With high-speed photography you measure the distance *d* the block has moved downward as a function of the time since it was released. The equation for the graph shown in Fig. P9.89 that gives a good fit to the data points is $d = (165 \text{ cm/s}^2)t^2$. (a) Based on the graph, does the block fall with constant acceleration? Explain. (b) Use the graph to calculate the speed of the block when it has descended 1.50 m. (c) Apply conservation of mechanical energy to the system of flywheel and block to calculate the moment of inertia of the flywheel. (d) You are relieved that the fishing line doesn't break. Apply Newton's second law to the block to find the tension in the line as the block descended.


PERSONALIZE LEARNING WITH MASTERINGPHYSICS

MasteringPhysics® from Pearson is the leading online homework, tutorial, and assessment system, designed to improve results by engaging students before, during, and after class with powerful content. Instructors can now ensure that students arrive ready to learn by assigning educationally effective content before class, and encourage critical thinking and retention with in-class resources such as Learning Catalytics. Students can further master concepts after class through traditional and adaptive homework assignments that provide hints and answer-specific feedback. The Mastering gradebook records scores for all automatically graded assignments in one place, while diagnostic tools give instructors access to rich data to assess student understanding and misconceptions.

Mastering brings learning full circle by continuously adapting to each student and making learning more personal than ever—before, during, and after class.

BEFORE CLASS

INTERACTIVE PRE-LECTURE VIDEOS address the rapidly growing movement toward pre-lecture teaching and flipped classrooms. These videos provide a conceptual introduction to key topics. Embedded assessment helps students to prepare before lecture and instructors to identify student misconceptions.




PRE-LECTURE CONCEPT QUESTIONS check familiarity with key concepts, prompting students to do their assigned reading prior to coming to class. These quizzes keep students on track, keep them more engaged in lecture, and help you spot the concepts with which they have the most difficulty. Open-ended essay questions help students identify what they find most difficult about a concept, better informing you and assisting with “just-in-time” teaching.

DURING CLASS

LEARNING CATALYTICS™ is a “bring your own device” student engagement, assessment, and classroom intelligence system. With Learning Catalytics you can:

- Assess students in real time, using open-ended tasks to probe student understanding.
- Understand immediately where students are and adjust your lecture accordingly.
- Improve your students’ critical-thinking skills.
- Access rich analytics to understand student performance.
- Add your own questions to make Learning Catalytics fit your course exactly.
- Manage student interactions with intelligent grouping and timing.



BEFORE, DURING, AND AFTER CLASS

AFTER CLASS

TUTORIALS featuring specific wrong-answer feedback, hints, and a wide variety of educationally effective content guide your students through the toughest topics in physics. The hallmark Hints and Feedback offer instruction similar to what students would experience in an office hour, allowing them to learn from their mistakes without being given the answer.

MasteringPhysics*
Fall 2012 Physics Demo Assignment > Banked Frictionless Curve, and Flat Curve with Friction

Item Type: Tutorial | Difficulty: -- | Time: <1m | Contact the Publisher | Manage this Item | Standard View Non-Randomized

Banked Frictionless Curve, and Flat Curve with Friction
A car of mass $M = 1200\text{ kg}$ traveling at 55.0 km/hour enters a banked turn covered with ice. The road is banked at an angle θ . Find the car's tires.

View an Example

Complete:
1 km = ? m
1 m = ? km

km	hm	dam	dm	cm	mm
1000	100	10	1	0.1	0.001

In that problem you will first convert from km to m. Then you will convert from m to km. In the metric system you can do that by simply moving the decimal point.

The table shown above is often used with metric conversions.

To convert from km to m, determine whether to move the decimal point left or right.

Press Continue to see more.

1.8 parts remaining

Continue Close

Try Again; 5 attempts remaining

Be consistent with units. The acceleration due to gravity is normally expressed in meters per second squared, so it is more convenient to express the speed of the car in meters per second, rather than kilometers per second. You may need to review [Conversion between m and km](#).

ADAPTIVE FOLLOW-UPS are personalized assignments that pair Mastering's powerful content with Knewton's adaptive learning engine to provide personalized help to students. These assignments address common student misconceptions and topics students struggled with on assigned homework, including core prerequisite topics.

Create/Edit Assignment: Chapter 7

1 Start 2 Select Content 3 Organize Content 4 Specify Outcomes Assign and Add Follow-Ups

Preview
Before assigning, you can preview the assignment in the student view.

Assign
Due Date/Time: Availability to Students: From: Until:

Continuously Adaptive Learning
Harness the power of Mastering's content paired with Knewton's adaptive learning engine to provide personalized help to your students before misconceptions take hold. Set the options below, and content will be automatically selected for each student to target his or her areas of weakness. [Learn more](#) [View Student Demo](#)

Yes! I want to add an Adaptive Follow-Up assignment. Check the box and fill out the information in the form below.

Title: Chapter 7 Adaptive Follow-Up

Length: 1 question set(s), based on student need. (1 question set = approximately 15 minutes)

Total Points: 15 credit [\(Class Settings\)](#)

Due: 2 days after the Parent assignment is due.

Test Out: Allow students to test out of this Adaptive Follow-Up. 50% or higher on the Parent assignment grants full points for the Adaptive Follow-Up. Use the above options as defaults for new assignments in the Adaptive category.

VIDEO TUTOR DEMONSTRATIONS, available in the Study Area and in the Item Library and accessible by QR code in the textbook, feature "pause-and-predict" demonstrations of key physics concepts as assessment to engage students actively in understanding key concepts. New VTDs build on the existing collection, adding new topics for a more robust set of demonstrations.



Example 5.17 Toboggan ride with friction II
The same toboggan with the same coefficient of friction as in Example 5.16 accelerates down a steeper hill. Derive an expression for the acceleration in terms of g , α , μ_k , and w .

SOLUTION
IDENTIFY and SET UP:

(b) Free-body diagram for toboggan

RECKON:

$$w = mg$$

$$\sum F_x = mg \sin \alpha + (-f_k) = ma_x$$

$$\sum F_y = n + (-mg \cos \alpha) = 0$$


$$n = mg \cos \alpha$$

$$f_k = \mu_k n = \mu_k mg \cos \alpha$$

$$mg \sin \alpha + (-\mu_k mg \cos \alpha) = ma_x$$

VIDEO TUTOR SOLUTIONS are tied to each worked example and Bridging Problem in the textbook and can be accessed through MasteringPhysics or from QR codes in the textbook. They walk students through the problem-solving process, providing a virtual teaching assistant on a round-the-clock basis.

ABOUT THE AUTHORS



Roger A. Freedman is a Lecturer in Physics at the University of California, Santa Barbara. He was an undergraduate at the University of California campuses in San Diego and Los Angeles and did his doctoral research in nuclear theory at Stanford University under the direction of Professor J. Dirk Walecka. Dr. Freedman came to UCSB in 1981 after three years of teaching and doing research at the University of Washington.

At UCSB, Dr. Freedman has taught in both the Department of Physics and the College of Creative Studies, a branch of the university intended for highly gifted and motivated undergraduates. He has published research in nuclear physics, elementary particle physics, and laser physics. In recent years, he has worked to make physics lectures a more interactive experience through the use of classroom response systems and pre-lecture videos.

In the 1970s Dr. Freedman worked as a comic book letterer and helped organize the San Diego Comic-Con (now the world's largest popular culture convention) during its first few years. Today, when not in the classroom or slaving over a computer, Dr. Freedman can be found either flying (he holds a commercial pilot's license) or with his wife, Caroline, cheering on the rowers of UCSB Men's and Women's Crew.



IN MEMORIAM: HUGH YOUNG (1930-2013)

Hugh D. Young was Emeritus Professor of Physics at Carnegie Mellon University. He earned both his undergraduate and graduate degrees from that university. He earned his Ph.D. in fundamental particle theory under the direction of the late Richard Cutkosky. Dr. Young joined the faculty of Carnegie Mellon in 1956 and retired in 2004. He also had two visiting professorships at the University of California, Berkeley.

Dr. Young's career was centered entirely on undergraduate education. He wrote several undergraduate-level textbooks, and in 1973 he became a coauthor with Francis Sears and Mark Zemansky for their well-known introductory textbooks. In addition to his role on Sears and Zemansky's *University Physics*, he was the author of Sears and Zemansky's *College Physics*.

Dr. Young earned a bachelor's degree in organ performance from Carnegie Mellon in 1972 and spent several years as Associate Organist at St. Paul's Cathedral in Pittsburgh. He often ventured into the wilderness to hike, climb, or go caving with students in Carnegie Mellon's Explorers Club, which he founded as a graduate student and later advised. Dr. Young and his wife, Alice, hosted up to 50 students each year for Thanksgiving dinners in their home.

Always gracious, Dr. Young expressed his appreciation earnestly: "I want to extend my heartfelt thanks to my colleagues at Carnegie Mellon, especially Professors Robert Kraemer, Bruce Sherwood, Ruth Chabay, Helmut Vogel, and Brian Quinn, for many stimulating discussions about physics pedagogy and for their support and encouragement during the writing of several successive editions of this book. I am equally indebted to the many generations of Carnegie Mellon students who have helped me learn what good teaching and good writing are, by showing me what works and what doesn't. It is always a joy and a privilege to express my gratitude to my wife, Alice, and our children, Gretchen and Rebecca, for their love, support, and emotional sustenance during the writing of several successive editions of this book. May all men and women be blessed with love such as theirs." We at Pearson appreciated his professionalism, good nature, and collaboration. He will be missed.

A. Lewis Ford is Professor of Physics at Texas A&M University. He received a B.A. from Rice University in 1968 and a Ph.D. in chemical physics from the University of Texas at Austin in 1972. After a one-year postdoc at Harvard University, he joined the Texas A&M physics faculty in 1973 and has been there ever since. Professor Ford has specialized in theoretical atomic physics—in particular, atomic collisions. At Texas A&M he has taught a variety of undergraduate and graduate courses, but primarily introductory physics.

TO THE STUDENT

HOW TO SUCCEED IN PHYSICS BY REALLY TRYING

Mark Hollabaugh, Normandale Community College, Emeritus

Physics encompasses the large and the small, the old and the new. From the atom to galaxies, from electrical circuitry to aerodynamics, physics is very much a part of the world around us. You probably are taking this introductory course in calculus-based physics because it is required for subsequent courses that you plan to take in preparation for a career in science or engineering. Your professor wants you to learn physics and to enjoy the experience. He or she is very interested in helping you learn this fascinating subject. That is part of the reason your professor chose this textbook for your course. That is also the reason Drs. Young and Freedman asked me to write this introductory section. We want you to succeed!

The purpose of this section of *University Physics* is to give you some ideas that will assist your learning. Specific suggestions on how to use the textbook will follow a brief discussion of general study habits and strategies.

PREPARATION FOR THIS COURSE

If you had high school physics, you will probably learn concepts faster than those who have not because you will be familiar with the language of physics. If English is a second language for you, keep a glossary of new terms that you encounter and make sure you understand how they are used in physics. Likewise, if you are further along in your mathematics courses, you will pick up the mathematical aspects of physics faster. Even if your mathematics is adequate, you may find a book such as Arnold D. Pickar's *Preparing for General Physics: Math Skill Drills and Other Useful Help (Calculus Version)* to be useful. Your professor may assign sections of this math review to assist your learning.

LEARNING TO LEARN

Each of us has a different learning style and a preferred means of learning. Understanding your own learning style will help you to focus on aspects of physics that may give you difficulty and to use those components of your course that will help you overcome the difficulty. Obviously you will want to spend more time on those aspects that give you the most trouble. If you learn by hearing, lectures will be very important. If you learn by explaining, then working with other students will be useful to you. If solving problems is difficult for you, spend more time learning how to solve problems. Also, it is important to understand and develop good study habits. Perhaps the most important thing you can do for yourself is set aside adequate, regularly scheduled study time in a distraction-free environment.

Answer the following questions for yourself:

- Am I able to use fundamental mathematical concepts from algebra, geometry, and trigonometry? (If not, plan a program of review with help from your professor.)
- In similar courses, what activity has given me the most trouble? (Spend more time on this.) What has been the easiest for me? (Do this first; it will build your confidence.)
- Do I understand the material better if I read the book before or after the lecture? (You may learn best by skimming the material, going to lecture, and then undertaking an in-depth reading.)

- Do I spend adequate time studying physics? (A rule of thumb for a class like this is to devote, on average, 2.5 hours out of class for each hour in class. For a course that meets 5 hours each week, that means you should spend about 10 to 15 hours per week studying physics.)
- Do I study physics every day? (Spread that 10 to 15 hours out over an entire week!) At what time of the day am I at my best for studying physics? (Pick a specific time of the day and stick to it.)
- Do I work in a quiet place where I can maintain my focus? (Distractions will break your routine and cause you to miss important points.)

WORKING WITH OTHERS

Scientists or engineers seldom work in isolation from one another but rather work cooperatively. You will learn more physics and have more fun doing it if you work with other students. Some professors may formalize the use of cooperative learning or facilitate the formation of study groups. You may wish to form your own informal study group with members of your class. Use e-mail to keep in touch with one another. Your study group is an excellent resource when you review for exams.

LECTURES AND TAKING NOTES

An important component of any college course is the lecture. In physics this is especially important, because your professor will frequently do demonstrations of physical principles, run computer simulations, or show video clips. All of these are learning activities that will help you understand the basic principles of physics. Don't miss lectures. If for some reason you do, ask a friend or member of your study group to provide you with notes and let you know what happened.

Take your class notes in outline form, and fill in the details later. It can be very difficult to take word-for-word notes, so just write down key ideas. Your professor may use a diagram from the textbook. Leave a space in your notes and add the diagram later. After class, edit your notes, filling in any gaps or omissions and noting things that you need to study further. Make references to the textbook by page, equation number, or section number.

Ask questions in class, or see your professor during office hours. Remember that the only "dumb" question is the one that is not asked. Your college may have teaching assistants or peer tutors who are available to help you with any difficulties.

EXAMINATIONS

Taking an examination is stressful. But if you feel adequately prepared and are well rested, your stress will be lessened. Preparing for an exam is a continuous process; it begins the moment the previous exam is over. You should immediately go over the exam to understand any mistakes you made. If you worked a problem and made substantial errors, try this: Take a piece of paper and divide it down the middle with a line from top to bottom. In one column, write the proper solution to the problem. In the other column, write what you did and why, if you know, and why your solution was incorrect. If you are uncertain why you made your mistake or how to avoid making it again, talk with your professor. Physics constantly builds on fundamental ideas, and it is important to correct any misunderstandings immediately. *Warning:* Although cramming at the last minute may get you through the present exam, you will not adequately retain the concepts for use on the next exam.

TO THE INSTRUCTOR

PREFACE

This book is the product of six and a half decades of leadership and innovation in physics education. When the first edition of *University Physics* by Francis W. Sears and Mark W. Zemansky was published in 1949, it was revolutionary among calculus-based physics textbooks in its emphasis on the fundamental principles of physics and how to apply them. The success of *University Physics* with generations of several million students and educators around the world is a testament to the merits of this approach and to the many innovations it has introduced subsequently.

In preparing this new Fourteenth Edition, we have further augmented and developed *University Physics* to assimilate the best ideas from education research with enhanced problem-solving instruction, pioneering visual and conceptual pedagogy, all-new categories of end-of-chapter problems, and the most pedagogically proven and widely used online homework and tutorial system in the world.

NEW TO THIS EDITION

- **All key equations now include annotations** that describe the equation and explain the meanings of the symbols in the equation. These annotations help promote in-depth processing of information and greater recall.
- **DATA SPEAKS sidebars** in each chapter, based on data captured from thousands of students, alert students to the statistically most common mistakes students make when working problems on related topics in MasteringPhysics.
- **Updated modern physics content** includes sections on quantum measurement (Chapter 40) and quantum entanglement (Chapter 41), as well as recent data on the Higgs boson and cosmic background radiation (Chapter 44).
- **Additional bioscience applications** appear throughout the text, mostly in the form of marginal photos with explanatory captions, to help students see how physics is connected to many breakthroughs and discoveries in the biosciences.
- The **text has been streamlined** with tighter and more focused language.
- **Based on data from MasteringPhysics, changes to the end-of-chapter content** include the following:
 - **25%–30% of problems are new or revised.**
 - Most chapters include **six to ten biosciences-related problems.**
 - The number of **context-rich problems** is increased to facilitate the greater learning gains that they can offer.
 - **Three new DATA problems** appear in each chapter. These typically context-rich, data-based reasoning problems require students to use experimental evidence, presented in a tabular or graphical format, to formulate conclusions.
 - Each chapter now includes **three to five new Passage Problems**, which follow the format that is used in the MCATs. These problems require students to investigate multiple aspects of a real-life physical situation, typically biological in nature, that is described in a reading passage.
- **Looking back at ...** essential past concepts are listed at the beginning of each chapter, so that students know what they need to have mastered before digging into the current chapter.



KEY FEATURES OF UNIVERSITY PHYSICS

- More than 620 **QR codes** throughout the book allow students to use a mobile phone to watch an interactive video of a physics instructor giving a relevant physics demonstration (Video Tutor Demonstration) or showing a narrated and animated worked Example (Video Tutor Solution).

All of these videos also play directly through links within the Pearson eText as well as the Study Area within MasteringPhysics.

- End-of-chapter **Bridging Problems**, many revised, provide a transition between the single-concept Examples and the more challenging end-of-chapter problems. Each Bridging Problem poses a difficult, multiconcept problem that typically incorporates physics from earlier chapters. A skeleton **Solution Guide**, consisting of questions and hints, helps train students to approach and solve challenging problems with confidence.
- Deep and extensive **problem sets** cover a wide range of difficulty (with blue dots to indicate relative difficulty level) and exercise both physical understanding and problem-solving expertise. Many problems are based on complex real-life situations.
- This textbook offers more **Examples** and **Conceptual Examples** than most other leading calculus-based textbooks, allowing students to explore problem-solving challenges that are not addressed in other textbooks.
- A research-based **problem-solving approach (Identify, Set Up, Execute, Evaluate)** is used in every Example as well as in the Problem-Solving Strategies, in the Bridging Problems, and throughout the Instructor's Solutions Manual and the Study Guide. This consistent approach teaches students to tackle problems thoughtfully rather than cutting straight to the math.
- **Problem-Solving Strategies** coach students in how to approach specific types of problems.
- The **figures** use a simplified graphical style to focus on the physics of a situation, and they incorporate more **explanatory annotations** than in the previous edition. Both techniques have been demonstrated to have a strong positive effect on learning.
- Many figures that illustrate Example solutions take the form of black-and-white **pencil sketches**, which directly represent what a student should draw in solving such problems themselves.
- The popular **Caution paragraphs** focus on typical misconceptions and student problem areas.
- End-of-section **Test Your Understanding** questions let students check their grasp of the material and use a multiple-choice or ranking-task format to probe for common misconceptions.
- **Visual Summaries** at the end of each chapter present the key ideas in words, equations, and thumbnail pictures, helping students review more effectively.
- **Approximately 70 PhET simulations** are linked to the Pearson eText and provided in the Study Area of the MasteringPhysics website (with icons in the printed book). These powerful simulations allow students to interact productively with the physics concepts they are learning.

INSTRUCTOR'S SUPPLEMENTS

Note: For convenience, all of the following instructor's supplements can be downloaded from the Instructor Resources Area accessed via MasteringPhysics (www.masteringphysics.com).

The **Instructor's Solutions Manual**, prepared by A. Lewis Ford (Texas A&M University) and Wayne Anderson, contains complete and detailed solutions to all end-of-chapter problems. All solutions follow consistently the same Identify/Set Up/Execute/Evaluate problem-solving framework used in the textbook. Download

only from the MasteringPhysics Instructor Area or from the Instructor Resource Center (www.pearsonglobaleditions.com/young).

The cross-platform **Instructor’s Resource Material** provides a comprehensive library of approximately 350 applets from ActivPhysics OnLine as well as all art and photos from the textbook in JPEG and PowerPoint formats. In addition, all of the key equations, problem-solving strategies, tables, and chapter summaries are provided in JPEGs and editable Word format, and all of the new Data Speaks boxes are offered in JPEGs. In-class weekly multiple-choice questions for use with various Classroom Response Systems (CRS) are also provided, based on the Test Your Understanding questions and chapter-opening questions in the text. Written by Roger Freedman, many new CRS questions that increase in difficulty level have been added. Lecture outlines and PhET clicker questions, both in PowerPoint format, are also included along with about 70 PhET simulations and the Video Tutor Demonstrations (interactive video demonstrations) that are linked to QR codes throughout the textbook.

MasteringPhysics[®] (www.masteringphysics.com) from Pearson is the leading online teaching and learning system designed to improve results by engaging students before, during, and after class with powerful content. Ensure that students arrive ready to learn by assigning educationally effective content before class, and encourage critical thinking and retention with in-class resources such as Learning Catalytics. Students can further master concepts after class through traditional homework assignments that provide hints and answer-specific feedback. The Mastering gradebook records scores for all automatically graded assignments, while diagnostic tools give instructors access to rich data to assess student understanding and misconceptions.

Mastering brings learning full circle by continuously adapting to each student and making learning more personal than ever—before, during, and after class.

- **NEW! The Mastering Instructor Resources Area** contains all of the contents of the Instructor’s Resource Material—lecture outlines; Classroom Response System questions; images, tables, key equations, problem-solving strategies, Data Speaks boxes, and chapter summaries from the textbook; access to the Instructor’s Solutions Manual, Test Bank, ActivPhysics Online—and much more.
- **NEW! Pre-lecture Videos** are assignable interactive videos that introduce students to key topics before they come to class. Each one includes assessment that feeds to the gradebook and alerts the instructor to potential trouble spots for students.
- **Pre-lecture Concept Questions** check students’ familiarity with key concepts, prompting students to do their assigned reading before they come to class. These quizzes keep students on track, keep them more engaged in lecture, and help you spot the concepts that students find the most difficult.
- **NEW! Learning Catalytics** is a “bring your own device” student engagement, assessment, and classroom intelligence system that allows you to assess students in real time, understand immediately where they are and adjust your lecture accordingly, improve their critical-thinking skills, access rich analytics to understand student performance, add your own questions to fit your course exactly, and manage student interactions with intelligent grouping and timing. Learning Catalytics can be used both during and after class.
- **NEW! Adaptive Follow-Ups** allow Mastering to adapt continuously to each student, making learning more personal than ever. These assignments pair Mastering’s powerful content with Knewton’s adaptive learning engine to provide personalized help to students before misconceptions take hold. They are based on each student’s performance on homework assignments and on all work in the course to date, including core prerequisite topics.

- **Video Tutor Demonstrations**, linked to QR codes in the textbook, feature “Pause and predict” videos of key physics concepts that ask students to submit a prediction before they see the outcome. These interactive videos are available in the Study Area of Mastering and in the Pearson eText.
- **Video Tutor Solutions** are linked to QR codes in the textbook. In these videos, which are available in the Study Area of Mastering and in the Pearson eText, an instructor explains and solves each worked example and Bridging Problem.
- **NEW! An Alternative Problem Set** in the Item Library of Mastering includes hundreds of new end-of-chapter questions and problems to offer instructors a wealth of options.
- **NEW! Physics/Biology Tutorials for MasteringPhysics** are assignable, multipart tutorials that emphasize biological processes and structures but also teach the physics principles that underlie them. They contain assessment questions that are based on the core competencies outlined in the 2015 MCAT.
- **PhET Simulations** (from the PhET project at the University of Colorado) are interactive, research-based simulations of physical phenomena. These tutorials, correlated to specific topics in the textbook, are available in the Pearson eText and in the Study Area within www.masteringphysics.com.
- **ActivPhysics OnLine™** (which is accessed through the Study Area and Instructor Resources within www.masteringphysics.com) provides a comprehensive library of approximately 350 tried and tested ActivPhysics applets updated for web delivery.
- Mastering’s **powerful gradebook** records all scores for automatically graded assignments. Struggling students and challenging assignments are highlighted in red, giving you an at-a-glance view of potential hurdles in the course. With a single click, charts summarize the most difficult problems, identify vulnerable students, and show the grade distribution, allowing for just-in-time teaching to address student misconceptions.
- **Learning Management System (LMS) Integration** gives seamless access to modified Mastering. Having all of your course materials and communications in one place makes life less complicated for you and your students. We’ve made it easier to link from within your LMS to modified Mastering and provide solutions, regardless of your LMS platform. With seamless, single sign-on your students will gain access to the personalized learning resources that make studying more efficient and more effective. You can access modified Mastering assignments, rosters, and resources and synchronize grades from modified Mastering with LMS.
- The **Test Bank** contains more than 2000 high-quality problems, with a range of multiple-choice, true/false, short-answer, and regular homework-type questions. Test files are provided both in TestGen (an easy-to-use, fully networkable program for creating and editing quizzes and exams) and in Word format. Download only from the MasteringPhysics Instructor Resources Area or from the Instructor Resources Center (www.pearsonglobaleditions.com/Young).

MasteringPhysics enables instructors to:

- Quickly build homework assignments that combine regular end-of-chapter problems and tutoring (through additional multistep tutorial problems that offer wrong-answer feedback and simpler problems upon request).
- Expand homework to include the widest range of automatically graded activities available—from numerical problems with randomized values, through algebraic answers, to free-hand drawing.
- Choose from a wide range of nationally pre-tested problems that provide accurate estimates of time to complete and difficulty.
- After an assignment is completed, quickly identify not only the problems that were the trickiest for students but also the individual problem types with which students had trouble.

- Compare class results against the system's worldwide average for each problem assigned, to identify issues to be addressed with just-in-time teaching.
- Check the work of an individual student in detail, including the time spent on each problem, what wrong answers were submitted at each step, how much help was asked for, and how many practice problems were worked.

STUDENT'S SUPPLEMENTS

The **Student's Study Guide** by Laird Kramer reinforces the textbook's emphasis on problem-solving strategies and student misconceptions.

MasteringPhysics[®] (www.masteringphysics.com) is a homework, tutorial, and assessment system based on years of research into how students work physics problems and precisely where they need help. Studies show that students who use MasteringPhysics compared to handwritten homework significantly increase their scores. MasteringPhysics achieves this improvement by providing students with instantaneous feedback specific to their wrong answers, simpler sub-problems upon request when they get stuck, and partial credit for their method(s). This individualized, 24/7 Socratic tutoring is recommended by nine out of ten students to their peers as the most effective and time-efficient way to study.



Pearson eText is available through MasteringPhysics. Allowing students access to the text wherever they have access to the Internet, Pearson eText comprises the full text, including figures that can be enlarged for better viewing. With eText, students are also able to pop up definitions and terms to help with vocabulary and the reading of the material. Students can also take notes in eText by using the annotation feature at the top of each page.

TIPERs (Tasks Inspired by Physics Education Research) are workbooks that give students the practice they need to develop reasoning about physics and that promote a conceptual understanding of problem solving:

- **NEW! TIPERs: Sensemaking Tasks for Introductory Physics** by Curtis Hieggelke, Stephen Kanim, David Maloney, and Thomas O'Kuma
- **Newtonian Tasks Inspired by Physics Education Research: nTIPERs** by Curtis Hieggelke, David Maloney, and Stephen Kanim
- **E&M TIPERs: Electricity & Magnetism Tasks** by Curtis Hieggelke, David Maloney, Thomas O'Kuma, and Stephen Kanim



Tutorials in Introductory Physics by Lillian C. McDermott and Peter S. Schaffer presents a series of physics tutorials designed by a leading physics education research group. Emphasizing the development of concepts and scientific reasoning skills, the tutorials focus on the specific conceptual and reasoning difficulties that students tend to encounter.

ACKNOWLEDGMENTS

I would like to thank the hundreds of reviewers and colleagues who have offered valuable comments and suggestions over the life of this textbook. The continuing success of *University Physics* is due in large measure to their contributions.

Miah Adel (U. of Arkansas at Pine Bluff), Edward Adelson (Ohio State U.), Julie Alexander (Camosun C.), Ralph Alexander (U. of Missouri at Rolla), J. G. Anderson, R. S. Anderson, Wayne Anderson (Sacramento City C.), Sanjeev Arora (Fort Valley State U.), Alex Azima (Lansing Comm. C.), Dilip Balamore (Nassau Comm. C.), Harold Bale (U. of North Dakota), Arun Bansil (Northeastern U.), John Barach (Vanderbilt U.), J. D. Barnett, H. H. Barschall, Albert Bartlett (U. of Colorado), Marshall Bartlett (Hollins U.), Paul Baum (CUNY, Queens C.), Frederick Becchetti (U. of Michigan), B. Bederson, David Bennum (U. of Nevada, Reno), Lev I. Berger (San Diego State U.), Angela Biselli (Fairfield U.), Robert Boeke (William Rainey Harper C.), Bram Boroson (Clayton State U.), S. Borowitz, A. C. Braden, James Brooks (Boston U.), Nicholas E. Brown (California Polytechnic State U., San Luis Obispo), Tony Buffa (California Polytechnic State U., San Luis Obispo), Shane Burns (Colorado C.), A. Capecelatro, Michael Cardamone (Pennsylvania State U.), Duane Carmony (Purdue U.), Troy Carter (UCLA), P. Catranides, John Cerne (SUNY at Buffalo), Shinil Cho (La Roche C.), Tim Chupp (U. of Michigan), Roger Clapp (U. of South Florida), William M. Cloud (Eastern Illinois U.), Leonard Cohen (Drexel U.), W. R. Coker (U. of Texas, Austin), Malcolm D. Cole (U. of Missouri at Rolla), H. Conrad, David Cook (Lawrence U.), Gayl Cook (U. of Colorado), Hans Courant (U. of Minnesota), Carl Covatto (Arizona State U.), Bruce A. Craver (U. of Dayton), Larry Curtis (U. of Toledo), Jai Dahiya (Southeast Missouri State U.), Dedra Demaree (Georgetown U.), Steve Detweiler (U. of Florida), George Dixon (Oklahoma State U.), Steve Drasco (Grinnell C.), Donald S. Duncan, Boyd Edwards (West Virginia U.), Robert Eisenstein (Carnegie Mellon U.), Amy Emerson Missouri (Virginia Institute of Technology), Olena Erhardt (Richland C.), William Faissler (Northeastern U.), Gregory Falabella (Wagner C.), William Fasnacht (U.S. Naval Academy), Paul Feldker (St. Louis Comm. C.), Carlos Figueroa (Cabrillo C.), L. H. Fisher, Neil Fletcher (Florida State U.), Allen Flora (Hood C.), Robert Folk, Peter Fong (Emory U.), A. Lewis Ford (Texas A&M U.), D. Frantszog, James R. Gaines (Ohio State U.), Solomon Gartenhaus (Purdue U.), Ron Gautreau (New Jersey Institute of Technology), J. David Gavenda (U. of Texas, Austin), Dennis Gay (U. of North Florida), Elizabeth George (Wittenberg U.), James Gerhart (U. of Washington), N. S. Gingrich, J. L. Glathart, S. Goodwin, Rich Gottfried (Frederick Comm. C.), Walter S. Gray (U. of Michigan), Paul Gresser (U. of Maryland), Benjamin Grinstein (UC, San Diego), Howard Grotch (Pennsylvania State U.), John Gruber (San Jose State U.), Graham D. Gutsche (U.S. Naval Academy), Michael J. Harrison (Michigan State U.), Harold Hart (Western Illinois U.), Howard Hayden (U. of Connecticut), Carl Helrich (Goshen C.), Andrew Hirsch (Purdue U.), Linda Hirst (UC, Merced), Laurent Hodges (Iowa State U.), C. D. Hodgman, Elizabeth Holden (U. of Wisconsin, Platteville), Michael Hones (Villanova U.), Keith Honey (West Virginia Institute of Technology), Gregory Hood (Tidewater Comm. C.), John Hubisz (North Carolina State U.), Eric Hudson (Pennsylvania State U.), M. Iona, Bob Jacobsen (UC, Berkeley), John Jaszczak (Michigan Technical U.), Alvin Jenkins (North Carolina State U.), Charles Johnson (South Georgia State C.), Robert P. Johnson (UC, Santa Cruz), Lorella Jones (U. of Illinois), Manoj Kaplinghat (UC, Irvine), John Karchek (GMI Engineering & Management Institute), Thomas Keil (Worcester Polytechnic Institute), Robert Kraemer (Carnegie Mellon U.), Jean P. Krisch (U. of Michigan), Robert A. Kromhout, Andrew Kunz (Marquette U.), Charles Lane (Berry C.), Stewart Langton (U. of Victoria), Thomas N. Lawrence (Texas State U.), Robert J. Lee, Alfred Leitner (Rensselaer Polytechnic U.), Frederic Liebrand (Walla Walla U.), Gerald P. Lietz (DePaul U.), Gordon Lind (Utah State U.), S. Livingston (U. of Wisconsin, Milwaukee), Jorge Lopez (U. of Texas, El Paso), Elihu Lubkin (U. of Wisconsin, Milwaukee), Robert Luke (Boise State U.), David Lynch (Iowa State U.), Michael Lysak (San Bernardino Valley C.), Jeffrey Mallow (Loyola U.), Robert Mania (Kentucky State U.), Robert Marchina (U. of Memphis), David Markowitz (U. of Connecticut), Philip Matheson (Utah Valley U.), R. J. Maurer, Oren Maxwell (Florida International U.), Joseph L. McCauley (U. of Houston), T. K. McCubbin, Jr. (Pennsylvania State U.), Charles McFarland (U. of Missouri at Rolla), James Mcguire (Tulane U.), Lawrence McIntyre (U. of Arizona), Fredric Messing (Carnegie Mellon U.), Thomas Meyer (Texas A&M U.), Andre Mirabelli (St. Peter's C., New Jersey), Herbert Muether

(SUNY, Stony Brook), Jack Munsee (California State U., Long Beach), Lorenzo Narducci (Drexel U.), Van E. Neie (Purdue U.), Forrest Newman (Sacramento City C.), David A. Nordling (U.S. Naval Academy), Benedict Oh (Pennsylvania State U.), L. O. Olsen, Michael Ottinger (Missouri Western State U.), Russell Palma (Minnesota State U., Mankato), Jim Pannell (DeVry Institute of Technology), Neeti Parashar (Purdue U., Calumet), W. F. Parks (U. of Missouri), Robert Paulson (California State U., Chico), Jerry Peacher (U. of Missouri at Rolla), Arnold Perlmutter (U. of Miami), Lennart Peterson (U. of Florida), R. J. Peterson (U. of Colorado, Boulder), R. Pinkston, Ronald Poling (U. of Minnesota), Yuri Popov (U. of Michigan), J. G. Potter, C. W. Price (Millersville U.), Francis Prosser (U. of Kansas), Sheldon H. Radin, Roberto Ramos (Drexel U.), Michael Rapport (Anne Arundel Comm. C.), R. Resnick, James A. Richards, Jr., John S. Risley (North Carolina State U.), Francisc Roig (UC, Santa Barbara), T. L. Rokoske, Richard Roth (Eastern Michigan U.), Carl Rotter (U. of West Virginia), S. Clark Rowland (Andrews U.), Rajarshi Roy (Georgia Institute of Technology), Russell A. Roy (Santa Fe Comm. C.), Desi Saludes (Hillsborough Comm. C.), Thomas Sandin (North Carolina A&T State U.), Dhiraj Sardar (U. of Texas, San Antonio), Tumer Sayman (Eastern Michigan U.), Bruce Schumm (UC, Santa Cruz), Melvin Schwartz (St. John's U.), F. A. Scott, L. W. Seagondollar, Paul Shand (U. of Northern Iowa), Stan Shepherd (Pennsylvania State U.), Douglas Sherman (San Jose State U.), Bruce Sherwood (Carnegie Mellon U.), Hugh Siefkin (Greenville C.), Christopher Sirola (U. of Southern Mississippi), Tomasz Skwarnicki (Syracuse U.), C. P. Slichter, Jason Slinker (U. of Texas, Dallas), Charles W. Smith (U. of Maine, Orono), Malcolm Smith (U. of Lowell), Ross Spencer (Brigham Young U.), Julien Sprott (U. of Wisconsin), Victor Stanionis (Iona C.), James Stith (American Institute of Physics), Chuck Stone (North Carolina A&T State U.), Edward Strother (Florida Institute of Technology), Conley Stutz (Bradley U.), Albert Stwertka (U.S. Merchant Marine Academy), Kenneth Szpara-DeNisco (Harrisburg Area Comm. C.), Devki Talwar (Indiana U. of Pennsylvania), Fiorella Terenzi (Florida International U.), Martin Tiersten (CUNY, City C.), David Toot (Alfred U.), Greg Trayling (Rochester Institute of Technology), Somdev Tyagi (Drexel U.), Matthew Vannette (Saginaw Valley State U.), Eswara Venugopal (U. of Detroit, Mercy), F. Verbrugge, Helmut Vogel (Carnegie Mellon U.), Aaron Warren (Purdue U., North Central), Robert Webb (Texas A&M U.), Thomas Weber (Iowa State U.), M. Russell Wehr (Pennsylvania State U.), Robert Weidman (Michigan Technical U.), Dan Whalen (UC, San Diego), Lester V. Whitney, Thomas Wiggins (Pennsylvania State U.), Robyn Wilde (Oregon Institute of Technology), David Willey (U. of Pittsburgh, Johnstown), George Williams (U. of Utah), John Williams (Auburn U.), Stanley Williams (Iowa State U.), Jack Willis, Suzanne Willis (Northern Illinois U.), Robert Wilson (San Bernardino Valley C.), L. Wolfenstein, James Wood (Palm Beach Junior C.), Lowell Wood (U. of Houston), R. E. Worley, D. H. Ziebell (Manatee Comm. C.), George O. Zimmerman (Boston U.)

In addition, I would like to thank my past and present colleagues at UCSB, including Rob Geller, Carl Gwinn, Al Nash, Elisabeth Nicol, and Francisc Roig, for their wholehearted support and for many helpful discussions. I owe a special debt of gratitude to my early teachers Willa Ramsay, Peter Zimmerman, William Little, Alan Schwetman, and Dirk Walecka for showing me what clear and engaging physics teaching is all about, and to Stuart Johnson for inviting me to become a coauthor of *University Physics* beginning with the Ninth Edition. Special acknowledgments go out to Lewis Ford for creating a wealth of new problems for this edition, including the new category of DATA problems; to Wayne Anderson, who carefully reviewed all of the problems and solved them, along with Forrest Newman and Michael Ottinger; and to Elizabeth George, who provided most of the new category of Passage Problems. A particular tip of the hat goes to Tom Sandin for his numerous contributions to the end-of-chapter problems, including carefully checking all problems and writing new ones. Hats off as well and a tremendous reception to Linda Hirst for contributing a number of ideas that became new Application features in this edition. I want to express special thanks to the editorial staff at Pearson: to Nancy Whilton for her editorial vision; to Karen Karlin for her keen eye and careful development of this edition; to Charles Hibbard for his careful reading of the page proofs; and to Beth Collins, Katie Conley, Sarah Kaubisch, Eric Schrader, and Cindy Johnson for keeping the editorial and

production pipelines flowing. Most of all, I want to express my gratitude and love to my wife, Caroline, to whom I dedicate my contribution to this book. Hey, Caroline, the new edition's done at last—let's go flying!

Pearson would like to thank and acknowledge Aparajita Bandyopadhyay, New Jersey Institute of Technology, for contributing to the Global Edition, and Ayan Paul, Istituto Nazionale di Fisica Nucleare, D.K. Bhattacharya, Defence Research Development Organisation, Stephan Nikolov, University of Plovdiv, and Sushil Kumar, University of Delhi, for reviewing the Global Edition.

PLEASE TELL ME WHAT YOU THINK!

I welcome communications from students and professors, especially concerning errors or deficiencies that you find in this edition. The late Hugh Young and I have devoted a lot of time and effort to writing the best book we know how to write, and I hope it will help as you teach and learn physics. In turn, you can help me by letting me know what still needs to be improved! Please feel free to contact me either electronically or by ordinary mail. Your comments will be greatly appreciated.

August 2014

Roger A. Freedman
Department of Physics
University of California, Santa Barbara
Santa Barbara, CA 93106-9530
airboy@physics.ucsb.edu
<http://www.physics.ucsb.edu/~airboy/>
Twitter: @RogerFreedman

DETAILED CONTENTS

MECHANICS

1	UNITS, PHYSICAL QUANTITIES, AND VECTORS	25
1.1	The Nature of Physics	26
1.2	Solving Physics Problems	26
1.3	Standards and Units	28
1.4	Using and Converting Units	30
1.5	Uncertainty and Significant Figures	32
1.6	Estimates and Orders of Magnitude	34
1.7	Vectors and Vector Addition	34
1.8	Components of Vectors	38
1.9	Unit Vectors	42
1.10	Products of Vectors	43
	Summary	49
	Questions/Exercises/Problems	51
2	MOTION ALONG A STRAIGHT LINE	58
2.1	Displacement, Time, and Average Velocity	58
2.2	Instantaneous Velocity	61
2.3	Average and Instantaneous Acceleration	64
2.4	Motion with Constant Acceleration	69
2.5	Freely Falling Bodies	74
2.6	Velocity and Position by Integration	77
	Summary	80
	Questions/Exercises/Problems	81
3	MOTION IN TWO OR THREE DIMENSIONS	91
3.1	Position and Velocity Vectors	91
3.2	The Acceleration Vector	94
3.3	Projectile Motion	99
3.4	Motion in a Circle	106
3.5	Relative Velocity	110
	Summary	115
	Questions/Exercises/Problems	116
4	NEWTON'S LAWS OF MOTION	125
4.1	Force and Interactions	126
4.2	Newton's First Law	129
4.3	Newton's Second Law	132
4.4	Mass and Weight	138
4.5	Newton's Third Law	140
4.6	Free-Body Diagrams	144
	Summary	145
	Questions/Exercises/Problems	147
5	APPLYING NEWTON'S LAWS	154
5.1	Using Newton's First Law: Particles in Equilibrium	154
5.2	Using Newton's Second Law: Dynamics of Particles	159
5.3	Friction Forces	166
5.4	Dynamics of Circular Motion	174
5.5	The Fundamental Forces of Nature	179
	Summary	181
	Questions/Exercises/Problems	183
6	WORK AND KINETIC ENERGY	196
6.1	Work	197
6.2	Kinetic Energy and the Work–Energy Theorem	201
6.3	Work and Energy with Varying Forces	207
6.4	Power	213
	Summary	216
	Questions/Exercises/Problems	217
7	POTENTIAL ENERGY AND ENERGY CONSERVATION	227
7.1	Gravitational Potential Energy	227
7.2	Elastic Potential Energy	236
7.3	Conservative and Nonconservative Forces	241
7.4	Force and Potential Energy	245
7.5	Energy Diagrams	248
	Summary	250
	Questions/Exercises/Problems	251
8	MOMENTUM, IMPULSE, AND COLLISIONS	261
8.1	Momentum and Impulse	262
8.2	Conservation of Momentum	267



8.3	Momentum Conservation and Collisions	271
8.4	Elastic Collisions	275
8.5	Center of Mass	278
8.6	Rocket Propulsion	282
	Summary	285
	Questions/Exercises/Problems	286



9	ROTATION OF RIGID BODIES	297
9.1	Angular Velocity and Acceleration	297
9.2	Rotation with Constant Angular Acceleration	302
9.3	Relating Linear and Angular Kinematics	304
9.4	Energy in Rotational Motion	307
9.5	Parallel-Axis Theorem	312
9.6	Moment-of-Inertia Calculations	313
	Summary	316
	Questions/Exercises/Problems	317
10	DYNAMICS OF ROTATIONAL MOTION	327
10.1	Torque	327
10.2	Torque and Angular Acceleration for a Rigid Body	330
10.3	Rigid-Body Rotation About a Moving Axis	333
10.4	Work and Power in Rotational Motion	339
10.5	Angular Momentum	341
10.6	Conservation of Angular Momentum	344
10.7	Gyroscopes and Precession	346
	Summary	350
	Questions/Exercises/Problems	351
11	EQUILIBRIUM AND ELASTICITY	363
11.1	Conditions for Equilibrium	364
11.2	Center of Gravity	364
11.3	Solving Rigid-Body Equilibrium Problems	367
11.4	Stress, Strain, and Elastic Moduli	371
11.5	Elasticity and Plasticity	377
	Summary	378
	Questions/Exercises/Problems	380

12	FLUID MECHANICS	393
12.1	Gases, Liquids, and Density	393
12.2	Pressure in a Fluid	395
12.3	Buoyancy	400
12.4	Fluid Flow	403
12.5	Bernoulli's Equation	405
12.6	Viscosity and Turbulence	409
	Summary	412
	Questions/Exercises/Problems	413

13	GRAVITATION	422
13.1	Newton's Law of Gravitation	422
13.2	Weight	426
13.3	Gravitational Potential Energy	429
13.4	The Motion of Satellites	431
13.5	Kepler's Laws and the Motion of Planets	434
13.6	Spherical Mass Distributions	438
13.7	Apparent Weight and the Earth's Rotation	441
13.8	Black Holes	443
	Summary	447
	Questions/Exercises/Problems	448

14	PERIODIC MOTION	457
14.1	Describing Oscillation	457
14.2	Simple Harmonic Motion	459
14.3	Energy in Simple Harmonic Motion	466
14.4	Applications of Simple Harmonic Motion	470
14.5	The Simple Pendulum	474
14.6	The Physical Pendulum	475
14.7	Damped Oscillations	477
14.8	Forced Oscillations and Resonance	479
	Summary	481
	Questions/Exercises/Problems	483

WAVES/ACOUSTICS

15	MECHANICAL WAVES	492
15.1	Types of Mechanical Waves	492
15.2	Periodic Waves	494
15.3	Mathematical Description of a Wave	497
15.4	Speed of a Transverse Wave	502
15.5	Energy in Wave Motion	506
15.6	Wave Interference, Boundary Conditions, and Superposition	509
15.7	Standing Waves on a String	511
15.8	Normal Modes of a String	515
	Summary	519
	Questions/Exercises/Problems	520

16	SOUND AND HEARING	529
16.1	Sound Waves	529
16.2	Speed of Sound Waves	534

16.3	Sound Intensity	538
16.4	Standing Sound Waves and Normal Modes	542
16.5	Resonance and Sound	546
16.6	Interference of Waves	548
16.7	Beats	550
16.8	The Doppler Effect	552
16.9	Shock Waves	557
	Summary	559
	Questions/Exercises/Problems	561

THERMODYNAMICS

17 TEMPERATURE AND HEAT 569

17.1	Temperature and Thermal Equilibrium	569
17.2	Thermometers and Temperature Scales	571
17.3	Gas Thermometers and the Kelvin Scale	572
17.4	Thermal Expansion	575
17.5	Quantity of Heat	580
17.6	Calorimetry and Phase Changes	583
17.7	Mechanisms of Heat Transfer	589
	Summary	596
	Questions/Exercises/Problems	597

18 THERMAL PROPERTIES OF MATTER 608

18.1	Equations of State	609
18.2	Molecular Properties of Matter	614
18.3	Kinetic-Molecular Model of an Ideal Gas	617
18.4	Heat Capacities	623
18.5	Molecular Speeds	626
18.6	Phases of Matter	628
	Summary	631
	Questions/Exercises/Problems	633

19 THE FIRST LAW OF THERMODYNAMICS 642

19.1	Thermodynamic Systems	642
19.2	Work Done During Volume Changes	644
19.3	Paths Between Thermodynamic States	646
19.4	Internal Energy and the First Law of Thermodynamics	647
19.5	Kinds of Thermodynamic Processes	652
19.6	Internal Energy of an Ideal Gas	654
19.7	Heat Capacities of an Ideal Gas	655
19.8	Adiabatic Processes for an Ideal Gas	658
	Summary	661
	Questions/Exercises/Problems	662

20 THE SECOND LAW OF THERMODYNAMICS 671

20.1	Directions of Thermodynamic Processes	671
20.2	Heat Engines	673
20.3	Internal-Combustion Engines	676



20.4	Refrigerators	678
20.5	The Second Law of Thermodynamics	680
20.6	The Carnot Cycle	682
20.7	Entropy	688
20.8	Microscopic Interpretation of Entropy	694
	Summary	698
	Questions/Exercises/Problems	700

ELECTROMAGNETISM

21 ELECTRIC CHARGE AND ELECTRIC FIELD 707

21.1	Electric Charge	708
21.2	Conductors, Insulators, and Induced Charges	711
21.3	Coulomb's Law	714
21.4	Electric Field and Electric Forces	719
21.5	Electric-Field Calculations	723
21.6	Electric Field Lines	729
21.7	Electric Dipoles	730
	Summary	735
	Questions/Exercises/Problems	736

22 GAUSS'S LAW 746

22.1	Charge and Electric Flux	746
22.2	Calculating Electric Flux	749
22.3	Gauss's Law	753
22.4	Applications of Gauss's Law	757
22.5	Charges on Conductors	762
	Summary	767
	Questions/Exercises/Problems	768

23 ELECTRIC POTENTIAL 776


23.1	Electric Potential Energy	776
23.2	Electric Potential	783
23.3	Calculating Electric Potential	789
23.4	Equipotential Surfaces	793
23.5	Potential Gradient	795
	Summary	799
	Questions/Exercises/Problems	800

24 CAPACITANCE AND DIELECTRICS 809

24.1	Capacitors and Capacitance	810
24.2	Capacitors in Series and Parallel	814
24.3	Energy Storage in Capacitors and Electric-Field Energy	818
24.4	Dielectrics	821
24.5	Molecular Model of Induced Charge	827
24.6	Gauss's Law in Dielectrics	829
	Summary	830
	Questions/Exercises/Problems	832

25 CURRENT, RESISTANCE, AND ELECTROMOTIVE FORCE 840

25.1	Current	841
25.2	Resistivity	844
25.3	Resistance	847
25.4	Electromotive Force and Circuits	850
25.5	Energy and Power in Electric Circuits	856
25.6	Theory of Metallic Conduction	860
	Summary	863
	Questions/Exercises/Problems	864



26 DIRECT-CURRENT CIRCUITS 872

26.1	Resistors in Series and Parallel	872
26.2	Kirchhoff's Rules	877
26.3	Electrical Measuring Instruments	882
26.4	<i>R-C</i> Circuits	886
26.5	Power Distribution Systems	891
	Summary	895
	Questions/Exercises/Problems	896

27 MAGNETIC FIELD AND MAGNETIC FORCES 905

27.1	Magnetism	905
27.2	Magnetic Field	907
27.3	Magnetic Field Lines and Magnetic Flux	911
27.4	Motion of Charged Particles in a Magnetic Field	914

27.5	Applications of Motion of Charged Particles	918
27.6	Magnetic Force on a Current-Carrying Conductor	920
27.7	Force and Torque on a Current Loop	924
27.8	The Direct-Current Motor	929
27.9	The Hall Effect	931
	Summary	933
	Questions/Exercises/Problems	935

28 SOURCES OF MAGNETIC FIELD 945

28.1	Magnetic Field of a Moving Charge	945
28.2	Magnetic Field of a Current Element	948
28.3	Magnetic Field of a Straight Current-Carrying Conductor	950
28.4	Force Between Parallel Conductors	953
28.5	Magnetic Field of a Circular Current Loop	954
28.6	Ampere's Law	957
28.7	Applications of Ampere's Law	960
28.8	Magnetic Materials	963
	Summary	969
	Questions/Exercises/Problems	971

29 ELECTROMAGNETIC INDUCTION 979

29.1	Induction Experiments	980
29.2	Faraday's Law	981
29.3	Lenz's Law	989
29.4	Motional Electromotive Force	991
29.5	Induced Electric Fields	993
29.6	Eddy Currents	996
29.7	Displacement Current and Maxwell's Equations	997
29.8	Superconductivity	1001
	Summary	1003
	Questions/Exercises/Problems	1004

30 INDUCTANCE 1014

30.1	Mutual Inductance	1014
30.2	Self-Inductance and Inductors	1018
30.3	Magnetic-Field Energy	1021
30.4	The <i>R-L</i> Circuit	1024
30.5	The <i>L-C</i> Circuit	1028
30.6	The <i>L-R-C</i> Series Circuit	1032
	Summary	1035
	Questions/Exercises/Problems	1036


31 ALTERNATING CURRENT 1044

31.1	Phasors and Alternating Currents	1044
31.2	Resistance and Reactance	1047
31.3	The <i>L-R-C</i> Series Circuit	1052
31.4	Power in Alternating-Current Circuits	1057

31.5	Resonance in Alternating-Current Circuits	1060
31.6	Transformers	1062
	Summary	1066
	Questions/Exercises/Problems	1067
32	ELECTROMAGNETIC WAVES	1074
32.1	Maxwell's Equations and Electromagnetic Waves	1075
32.2	Plane Electromagnetic Waves and the Speed of Light	1078
32.3	Sinusoidal Electromagnetic Waves	1083
32.4	Energy and Momentum in Electromagnetic Waves	1087
32.5	Standing Electromagnetic Waves	1092
	Summary	1095
	Questions/Exercises/Problems	1096

OPTICS

33	THE NATURE AND PROPAGATION OF LIGHT	1102
33.1	The Nature of Light	1102
33.2	Reflection and Refraction	1104
33.3	Total Internal Reflection	1110
33.4	Dispersion	1113
33.5	Polarization	1115
33.6	Scattering of Light	1123
33.7	Huygens's Principle	1124
	Summary	1126
	Questions/Exercises/Problems	1128
34	GEOMETRIC OPTICS	1135
34.1	Reflection and Refraction at a Plane Surface	1135
34.2	Reflection at a Spherical Surface	1139
34.3	Refraction at a Spherical Surface	1147
34.4	Thin Lenses	1152
34.5	Cameras	1160
34.6	The Eye	1163
34.7	The Magnifier	1167
34.8	Microscopes and Telescopes	1168
	Summary	1173
	Questions/Exercises/Problems	1175
35	INTERFERENCE	1184
35.1	Interference and Coherent Sources	1184
35.2	Two-Source Interference of Light	1188
35.3	Intensity in Interference Patterns	1191
35.4	Interference in Thin Films	1195
35.5	The Michelson Interferometer	1200
	Summary	1202
	Questions/Exercises/Problems	1203



36	DIFFRACTION	1210
36.1	Fresnel and Fraunhofer Diffraction	1210
36.2	Diffraction from a Single Slit	1212
36.3	Intensity in the Single-Slit Pattern	1215
36.4	Multiple Slits	1219
36.5	The Diffraction Grating	1221
36.6	X-Ray Diffraction	1225
36.7	Circular Apertures and Resolving Power	1228
36.8	Holography	1231
	Summary	1233
	Questions/Exercises/Problems	1234

MODERN PHYSICS

37	RELATIVITY	1242
37.1	Invariance of Physical Laws	1242
37.2	Relativity of Simultaneity	1245
37.3	Relativity of Time Intervals	1247
37.4	Relativity of Length	1252
37.5	The Lorentz Transformations	1256
37.6	The Doppler Effect for Electromagnetic Waves	1260
37.7	Relativistic Momentum	1262
37.8	Relativistic Work and Energy	1264
37.9	Newtonian Mechanics and Relativity	1268
	Summary	1269
	Questions/Exercises/Problems	1271
38	PHOTONS: LIGHT WAVES BEHAVING AS PARTICLES	1278
38.1	Light Absorbed as Photons: The Photoelectric Effect	1278
38.2	Light Emitted as Photons: X-Ray Production	1284
38.3	Light Scattered as Photons: Compton Scattering and Pair Production	1287
38.4	Wave-Particle Duality, Probability, and Uncertainty	1290
	Summary	1297
	Questions/Exercises/Problems	1298



39 PARTICLES BEHAVING AS WAVES 1303

39.1	Electron Waves	1303
39.2	The Nuclear Atom and Atomic Spectra	1309
39.3	Energy Levels and the Bohr Model of the Atom	1314
39.4	The Laser	1324
39.5	Continuous Spectra	1327
39.6	The Uncertainty Principle Revisited	1332
	Summary	1335
	Questions/Exercises/Problems	1337

40 QUANTUM MECHANICS I: WAVE FUNCTIONS 1345

40.1	Wave Functions and the One-Dimensional Schrödinger Equation	1345
40.2	Particle in a Box	1355
40.3	Potential Wells	1360
40.4	Potential Barriers and Tunneling	1364
40.5	The Harmonic Oscillator	1367
40.6	Measurement in Quantum Mechanics	1372
	Summary	1375
	Questions/Exercises/Problems	1377

41 QUANTUM MECHANICS II: ATOMIC STRUCTURE 1384

41.1	The Schrödinger Equation in Three Dimensions	1384
41.2	Particle in a Three-Dimensional Box	1386
41.3	The Hydrogen Atom	1391
41.4	The Zeeman Effect	1399
41.5	Electron Spin	1402
41.6	Many-Electron Atoms and the Exclusion Principle	1409
41.7	X-Ray Spectra	1416
41.8	Quantum Entanglement	1419
	Summary	1423
	Questions/Exercises/Problems	1425

42 MOLECULES AND CONDENSED MATTER 1431

42.1	Types of Molecular Bonds	1431
42.2	Molecular Spectra	1434
42.3	Structure of Solids	1438
42.4	Energy Bands	1442
42.5	Free-Electron Model of Metals	1444
42.6	Semiconductors	1448
42.7	Semiconductor Devices	1451
42.8	Superconductivity	1456
	Summary	1456
	Questions/Exercises/Problems	1458

43 NUCLEAR PHYSICS 1464

43.1	Properties of Nuclei	1464
43.2	Nuclear Binding and Nuclear Structure	1470
43.3	Nuclear Stability and Radioactivity	1474
43.4	Activities and Half-Lives	1481
43.5	Biological Effects of Radiation	1485
43.6	Nuclear Reactions	1488
43.7	Nuclear Fission	1490
43.8	Nuclear Fusion	1494
	Summary	1497
	Questions/Exercises/Problems	1498

44 PARTICLE PHYSICS AND COSMOLOGY 1505

44.1	Fundamental Particles—A History	1505
44.2	Particle Accelerators and Detectors	1510
44.3	Particles and Interactions	1514
44.4	Quarks and Gluons	1520
44.5	The Standard Model and Beyond	1524
44.6	The Expanding Universe	1526
44.7	The Beginning of Time	1533
	Summary	1541
	Questions/Exercises/Problems	1543

APPENDICES

A	The International System of Units	1547
B	Useful Mathematical Relations	1549
C	The Greek Alphabet	1550
D	Periodic Table of the Elements	1551
E	Unit Conversion Factors	1552
F	Numerical Constants	1553
	Answers to Odd-Numbered Problems	1555
	Credits	1569
	Index	1573



? Tornadoes are spawned by severe thunderstorms, so being able to predict the path of thunderstorms is essential. If a thunderstorm is moving at 15 km/h in a direction 37° north of east, how far north does the thunderstorm move in 2.0 h? (i) 30 km; (ii) 24 km; (iii) 18 km; (iv) 12 km; (v) 9 km.

1 UNITS, PHYSICAL QUANTITIES, AND VECTORS

LEARNING GOALS

Looking forward at ...

- 1.1 What a physical theory is.
- 1.2 The four steps you can use to solve any physics problem.
- 1.3 Three fundamental quantities of physics and the units physicists use to measure them.
- 1.4 How to work with units in your calculations.
- 1.5 How to keep track of significant figures in your calculations.
- 1.6 How to make rough, order-of-magnitude estimates.
- 1.7 The difference between scalars and vectors, and how to add and subtract vectors graphically.
- 1.8 What the components of a vector are and how to use them in calculations.
- 1.9 What unit vectors are and how to use them with components to describe vectors.
- 1.10 Two ways to multiply vectors: the scalar (dot) product and the vector (cross) product.

Physics is one of the most fundamental of the sciences. Scientists of all disciplines use the ideas of physics, including chemists who study the structure of molecules, paleontologists who try to reconstruct how dinosaurs walked, and climatologists who study how human activities affect the atmosphere and oceans. Physics is also the foundation of all engineering and technology. No engineer could design a flat-screen TV, a prosthetic leg, or even a better mousetrap without first understanding the basic laws of physics.

The study of physics is also an adventure. You will find it challenging, sometimes frustrating, occasionally painful, and often richly rewarding. If you've ever wondered why the sky is blue, how radio waves can travel through empty space, or how a satellite stays in orbit, you can find the answers by using fundamental physics. You will come to see physics as a towering achievement of the human intellect in its quest to understand our world and ourselves.

In this opening chapter, we'll go over some important preliminaries that we'll need throughout our study. We'll discuss the nature of physical theory and the use of idealized models to represent physical systems. We'll introduce the systems of units used to describe physical quantities and discuss ways to describe the accuracy of a number. We'll look at examples of problems for which we can't (or don't want to) find a precise answer, but for which rough estimates can be useful and interesting. Finally, we'll study several aspects of vectors and vector algebra. We'll need vectors throughout our study of physics to help us describe and analyze physical quantities, such as velocity and force, that have direction as well as magnitude.

1.1 THE NATURE OF PHYSICS

Physics is an *experimental* science. Physicists observe the phenomena of nature and try to find patterns that relate these phenomena. These patterns are called physical theories or, when they are very well established and widely used, physical laws or principles.

CAUTION The meaning of “theory” A theory is *not* just a random thought or an unproven concept. Rather, a theory is an explanation of natural phenomena based on observation and accepted fundamental principles. An example is the well-established theory of biological evolution, which is the result of extensive research and observation by generations of biologists. **I**

1.1 Two research laboratories.

(a) According to legend, Galileo investigated falling objects by dropping them from the Leaning Tower of Pisa, Italy, ...



... and he studied pendulum motion by observing the swinging chandelier in the adjacent cathedral.

(b) The Planck spacecraft is designed to study the faint electromagnetic radiation left over from the Big Bang 13.8 billion years ago.



These technicians are reflected in the spacecraft’s light-gathering mirror during pre-launch testing.

To develop a physical theory, a physicist has to learn to ask appropriate questions, design experiments to try to answer the questions, and draw appropriate conclusions from the results. **Figure 1.1** shows two important facilities used for physics experiments.

Legend has it that Galileo Galilei (1564–1642) dropped light and heavy objects from the top of the Leaning Tower of Pisa (Fig. 1.1a) to find out whether their rates of fall were different. From examining the results of his experiments (which were actually much more sophisticated than in the legend), he made the inductive leap to the principle, or theory, that the acceleration of a falling object is independent of its weight.

The development of physical theories such as Galileo’s often takes an indirect path, with blind alleys, wrong guesses, and the discarding of unsuccessful theories in favor of more promising ones. Physics is not simply a collection of facts and principles; it is also the *process* by which we arrive at general principles that describe how the physical universe behaves.

No theory is ever regarded as the final or ultimate truth. The possibility always exists that new observations will require that a theory be revised or discarded. It is in the nature of physical theory that we can disprove a theory by finding behavior that is inconsistent with it, but we can never prove that a theory is always correct.

Getting back to Galileo, suppose we drop a feather and a cannonball. They certainly do *not* fall at the same rate. This does not mean that Galileo was wrong; it means that his theory was incomplete. If we drop the feather and the cannonball *in a vacuum* to eliminate the effects of the air, then they do fall at the same rate. Galileo’s theory has a **range of validity**: It applies only to objects for which the force exerted by the air (due to air resistance and buoyancy) is much less than the weight. Objects like feathers or parachutes are clearly outside this range.

1.2 SOLVING PHYSICS PROBLEMS

At some point in their studies, almost all physics students find themselves thinking, “I understand the concepts, but I just can’t solve the problems.” But in physics, truly understanding a concept *means* being able to apply it to a variety of problems. Learning how to solve problems is absolutely essential; you don’t *know* physics unless you can *do* physics.

How do you learn to solve physics problems? In every chapter of this book you will find *Problem-Solving Strategies* that offer techniques for setting up and solving problems efficiently and accurately. Following each *Problem-Solving Strategy* are one or more worked *Examples* that show these techniques in action. (The *Problem-Solving Strategies* will also steer you away from some *incorrect* techniques that you may be tempted to use.) You’ll also find additional examples that aren’t associated with a particular *Problem-Solving Strategy*. In addition, at the end of each chapter you’ll find a *Bridging Problem* that uses more than one of

the key ideas from the chapter. Study these strategies and problems carefully, and work through each example for yourself on a piece of paper.

Different techniques are useful for solving different kinds of physics problems, which is why this book offers dozens of *Problem-Solving Strategies*. No matter what kind of problem you're dealing with, however, there are certain key steps that you'll always follow. (These same steps are equally useful for problems in math, engineering, chemistry, and many other fields.) In this book we've organized these steps into four stages of solving a problem.

All of the *Problem-Solving Strategies* and *Examples* in this book will follow these four steps. (In some cases we will combine the first two or three steps.) We encourage you to follow these same steps when you solve problems yourself. You may find it useful to remember the acronym **I SEE**—short for *Identify, Set up, Execute, and Evaluate*.

PROBLEM-SOLVING STRATEGY 1.1 SOLVING PHYSICS PROBLEMS

IDENTIFY *the relevant concepts:* Use the physical conditions stated in the problem to help you decide which physics concepts are relevant. Identify the **target variables** of the problem—that is, the quantities whose values you're trying to find, such as the speed at which a projectile hits the ground, the intensity of a sound made by a siren, or the size of an image made by a lens. Identify the known quantities, as stated or implied in the problem. This step is essential whether the problem asks for an algebraic expression or a numerical answer.

SET UP *the problem:* Given the concepts you have identified, the known quantities, and the target variables, choose the equations that you'll use to solve the problem and decide how you'll use them. Make sure that the variables you have identified correlate exactly with those in the equations. If appropriate, draw a sketch of the situation described in the problem. (Graph paper, ruler, protractor, and compass will help you make clear, useful sketches.)

As best you can, estimate what your results will be and, as appropriate, predict what the physical behavior of a system will be. The worked examples in this book include tips on how to make these kinds of estimates and predictions. If this seems challenging, don't worry—you'll get better with practice!

EXECUTE *the solution:* This is where you “do the math.” Study the worked examples to see what's involved in this step.

EVALUATE *your answer:* Compare your answer with your estimates, and reconsider things if there's a discrepancy. If your answer includes an algebraic expression, assure yourself that it correctly represents what would happen if the variables in it had very large or very small values. For future reference, make note of any answer that represents a quantity of particular significance. Ask yourself how you might answer a more general or more difficult version of the problem you have just solved.

Idealized Models

In everyday conversation we use the word “model” to mean either a small-scale replica, such as a model railroad, or a person who displays articles of clothing (or the absence thereof). In physics a **model** is a simplified version of a physical system that would be too complicated to analyze in full detail.

For example, suppose we want to analyze the motion of a thrown baseball (**Fig. 1.2a**). How complicated is this problem? The ball is not a perfect sphere (it has raised seams), and it spins as it moves through the air. Air resistance and wind influence its motion, the ball's weight varies a little as its altitude changes, and so on. If we try to include all these things, the analysis gets hopelessly complicated. Instead, we invent a simplified version of the problem. We ignore the size and shape of the ball by representing it as a point object, or **particle**. We ignore air resistance by making the ball move in a vacuum, and we make the weight constant. Now we have a problem that is simple enough to deal with (**Fig. 1.2b**). We will analyze this model in detail in Chapter 3.

We have to overlook quite a few minor effects to make an idealized model, but we must be careful not to neglect too much. If we ignore the effects of gravity completely, then our model predicts that when we throw the ball up, it will go in a straight line and disappear into space. A useful model simplifies a problem enough to make it manageable, yet keeps its essential features.

1.2 To simplify the analysis of (a) a baseball in flight, we use (b) an idealized model.

(a) A real baseball in flight

Baseball spins and has a complex shape.



(b) An idealized model of the baseball

Treat the baseball as a point object (particle).



The validity of the predictions we make using a model is limited by the validity of the model. For example, Galileo's prediction about falling objects (see Section 1.1) corresponds to an idealized model that does not include the effects of air resistance. This model works fairly well for a dropped cannonball, but not so well for a feather.

Idealized models play a crucial role throughout this book. Watch for them in discussions of physical theories and their applications to specific problems.

1.3 STANDARDS AND UNITS

As we learned in Section 1.1, physics is an experimental science. Experiments require measurements, and we generally use numbers to describe the results of measurements. Any number that is used to describe a physical phenomenon quantitatively is called a **physical quantity**. For example, two physical quantities that describe you are your weight and your height. Some physical quantities are so fundamental that we can define them only by describing how to measure them. Such a definition is called an **operational definition**. Two examples are measuring a distance by using a ruler and measuring a time interval by using a stopwatch. In other cases we define a physical quantity by describing how to calculate it from other quantities that we *can* measure. Thus we might define the average speed of a moving object as the distance traveled (measured with a ruler) divided by the time of travel (measured with a stopwatch).

When we measure a quantity, we always compare it with some reference standard. When we say that a Ferrari 458 Italia is 4.53 meters long, we mean that it is 4.53 times as long as a meter stick, which we define to be 1 meter long. Such a standard defines a **unit** of the quantity. The meter is a unit of distance, and the second is a unit of time. When we use a number to describe a physical quantity, we must always specify the unit that we are using; to describe a distance as simply "4.53" wouldn't mean anything.

To make accurate, reliable measurements, we need units of measurement that do not change and that can be duplicated by observers in various locations. The system of units used by scientists and engineers around the world is commonly called "the metric system," but since 1960 it has been known officially as the **International System**, or **SI** (the abbreviation for its French name, *Système International*). Appendix A gives a list of all SI units as well as definitions of the most fundamental units.

Time

From 1889 until 1967, the unit of time was defined as a certain fraction of the mean solar day, the average time between successive arrivals of the sun at its highest point in the sky. The present standard, adopted in 1967, is much more precise. It is based on an atomic clock, which uses the energy difference between the two lowest energy states of the cesium atom (^{133}Cs). When bombarded by microwaves of precisely the proper frequency, cesium atoms undergo a transition from one of these states to the other. One **second** (abbreviated s) is defined as the time required for 9,192,631,770 cycles of this microwave radiation (**Fig. 1.3a**).


Length

In 1960 an atomic standard for the meter was also established, using the wavelength of the orange-red light emitted by excited atoms of krypton (^{86}Kr). From this length standard, the speed of light in vacuum was measured to be 299,792,458 m/s. In November 1983, the length standard was changed again so that the speed of light in vacuum was *defined* to be precisely 299,792,458 m/s.


1.3 The measurements used to determine (a) the duration of a second and (b) the length of a meter. These measurements are useful for setting standards because they give the same results no matter where they are made.

(a) Measuring the second

Microwave radiation with a frequency of exactly 9,192,631,770 cycles per second ...




... causes the outermost electron of a cesium-133 atom to reverse its spin direction.



An atomic clock uses this phenomenon to tune microwaves to this exact frequency. It then counts 1 second for each 9,192,631,770 cycles.

(b) Measuring the meter



Hence the new definition of the **meter** (abbreviated m) is the distance that light travels in vacuum in $1/299,792,458$ second (Fig. 1.3b). This modern definition provides a much more precise standard of length than the one based on a wavelength of light.

Mass

The standard of mass, the **kilogram** (abbreviated kg), is defined to be the mass of a particular cylinder of platinum–iridium alloy kept at the International Bureau of Weights and Measures at Sèvres, near Paris (**Fig. 1.4**). An atomic standard of mass would be more fundamental, but at present we cannot measure masses on an atomic scale with as much accuracy as on a macroscopic scale. The *gram* (which is not a fundamental unit) is 0.001 kilogram.

Other *derived units* can be formed from the fundamental units. For example, the units of speed are meters per second, or m/s; these are the units of length (m) divided by the units of time (s).

Unit Prefixes

Once we have defined the fundamental units, it is easy to introduce larger and smaller units for the same physical quantities. In the metric system these other units are related to the fundamental units (or, in the case of mass, to the gram) by multiples of 10 or $\frac{1}{10}$. Thus one kilometer (1 km) is 1000 meters, and one centimeter (1 cm) is $\frac{1}{100}$ meter. We usually express multiples of 10 or $\frac{1}{10}$ in exponential notation: $1000 = 10^3$, $\frac{1}{1000} = 10^{-3}$, and so on. With this notation, $1 \text{ km} = 10^3 \text{ m}$ and $1 \text{ cm} = 10^{-2} \text{ m}$.

The names of the additional units are derived by adding a **prefix** to the name of the fundamental unit. For example, the prefix “kilo-,” abbreviated k, always means a unit larger by a factor of 1000; thus

$$1 \text{ kilometer} = 1 \text{ km} = 10^3 \text{ meters} = 10^3 \text{ m}$$

$$1 \text{ kilogram} = 1 \text{ kg} = 10^3 \text{ grams} = 10^3 \text{ g}$$

$$1 \text{ kilowatt} = 1 \text{ kW} = 10^3 \text{ watts} = 10^3 \text{ W}$$

A table in Appendix A lists the standard SI units, with their meanings and abbreviations.

Table 1.1 gives some examples of the use of multiples of 10 and their prefixes with the units of length, mass, and time. **Figure 1.5** (next page) shows how these prefixes are used to describe both large and small distances.

1.4 The international standard kilogram is the metal object carefully enclosed within these nested glass containers.



TABLE 1.1 Some Units of Length, Mass, and Time

Length	Mass	Time
1 nanometer = 1 nm = 10^{-9} m (a few times the size of the largest atom)	1 microgram = 1 μg = 10^{-6} g = 10^{-9} kg (mass of a very small dust particle)	1 nanosecond = 1 ns = 10^{-9} s (time for light to travel 0.3 m)
1 micrometer = 1 μm = 10^{-6} m (size of some bacteria and other cells)	1 milligram = 1 mg = 10^{-3} g = 10^{-6} kg (mass of a grain of salt)	1 microsecond = 1 μs = 10^{-6} s (time for space station to move 8 mm)
1 millimeter = 1 mm = 10^{-3} m (diameter of the point of a ballpoint pen)	1 gram = 1 g = 10^{-3} kg (mass of a paper clip)	1 millisecond = 1 ms = 10^{-3} s (time for a car moving at freeway speed to travel 3 cm)
1 centimeter = 1 cm = 10^{-2} m (diameter of your little finger)		
1 kilometer = 1 km = 10^3 m (distance in a 10-minute walk)		