

**DYNAMICS OF**  
**STRUCTURES**  
**WITH MATLAB® APPLICATIONS**

---

**ASHOK K. JAIN**



ALWAYS LEARNING

**PEARSON**

# DYNAMICS OF STRUCTURES WITH MATLAB® APPLICATIONS

**Ashok K. Jain**

Professor of Civil Engineering  
Indian Institute of Technology Roorkee  
Roorkee

PEARSON

Chennai • Delhi

**Copyright © 2017 Pearson India Education Services Pvt. Ltd**

Published by Pearson India Education Services Pvt. Ltd, CIN: U72200TN2005PTC057128, formerly known as TutorVista Global Pvt. Ltd, licensee of Pearson Education in South Asia.

No part of this eBook may be used or reproduced in any manner whatsoever without the publisher's prior written consent.

This eBook may or may not include all assets that were part of the print version. The publisher reserves the right to remove any material in this eBook at any time.

ISBN 978-93-325-5855-7

eISBN 978-93-325-7826-5

Head Office: A-8 (A), 7th Floor, Knowledge Boulevard, Sector 62, Noida 201 309, Uttar Pradesh, India.

Registered Office: 4th Floor, Software Block, Elnet Software City, TS 140, Block 2 & 9, Rajiv Gandhi Salai, Taramani, Chennai 600 113, Tamil Nadu, India.

Fax: 080-30461003, Phone: 080-30461060

www.pearson.co.in, Email: [companysecretary.india@pearson.com](mailto:companysecretary.india@pearson.com)

*Dedicated to  
my grandchildren, Dhruv and Samyukta, who made me  
understand energy dissipation mechanisms  
in live dynamic systems*

*This page is intentionally left blank*



# Brief Contents

<b>Preface</b>		<b>xv</b>
<b>About the Author</b>		<b>xix</b>
<b>PART 1</b>	<b>SINGLE DEGREE OF FREEDOM SYSTEMS</b>	<b>1</b>
Chapter 1	Introduction to Structural Dynamics	3
Chapter 2	Single Degree of Freedom System: Free Vibrations	33
Chapter 3	Single Degree of Freedom System: Harmonic Loading	63
Chapter 4	Single Degree of Freedom System: Periodic Loading	91
Chapter 5	Single Degree of Freedom System: Impulse Loading	129
Chapter 6	Single Degree of Freedom System: Machine Vibrations	161
Chapter 7	Direct Integration of Equation of Motion	185
Chapter 8	Elastic Response Spectra	217
<b>PART 2</b>	<b>MULTI-DEGREE OF FREEDOM SYSTEMS</b>	<b>261</b>
Chapter 9	Two-degree of Freedom Systems	263
Chapter 10	Multi-degree of Freedom Systems	305
Chapter 11	Systems with Distributed Mass and Elasticity	363
<b>PART 3</b>	<b>APPLICATION TO EARTHQUAKE ENGINEERING</b>	<b>387</b>
Chapter 12	Analysis of Buildings for Earthquake Force	389
Chapter 13	Nonlinear Analysis of Structures	447
Chapter 14	Performance-based Seismic Design of Structures	519

<b>PART 4</b>	<b>WIND LOAD</b>	<b>575</b>
Chapter 15	Wind Load	577
Appendix 1	Measuring Earthquakes: Magnitude and Intensity	615
Appendix 2	MATLAB Basics	621
Answers to Selected Problems		637
Index		645



# Contents

<b>Preface</b>	<b>xv</b>	
<b>About the Author</b>	<b>xix</b>	
<b>PART 1</b>	<b>SINGLE DEGREE OF FREEDOM SYSTEMS</b>	<b>1</b>
<b>Chapter 1</b>	<b>Introduction to Structural Dynamics</b>	<b>3</b>
1.1	Introduction	3
1.1.1	Why Dynamic Analysis?	6
1.2	Physical and Mathematical Modelling	8
1.3	Discrete and Continuum Modelling	11
1.4	Laws of Equilibrium	15
1.4.1	Newton's Law of Motion	15
1.4.2	D'Alembert's Principle	17
1.4.3	Principle of Virtual Displacement	17
1.5	Types of Dynamic Loading	18
1.6	Solution of Equation of Motion	19
1.7	Illustrative Examples	20
	<i>Problems</i>	29
<b>Chapter 2</b>	<b>Single Degree of Freedom System: Free Vibrations</b>	<b>33</b>
2.1	Introduction	33
2.2	Single Degree of Freedom System (SDOF)	34
2.2.1	Undamped Free Vibrations	35
2.2.2	Damped Free Vibrations	36
2.3	MATLAB Applications	40
2.4	Illustrative Examples	46
2.5	Viscous Damping	52
2.6	Coulomb Damping	54
	<i>Problems</i>	59



<b>Chapter 3</b>	<b>Single Degree of Freedom System: Harmonic Loading</b>	<b>63</b>
3.1	Introduction	63
3.2	Undamped Forced Vibrations	63
3.3	Damped Forced Vibrations	65
3.3.1	Dynamic Magnification Factor	69
3.4	MATLAB Applications	70
3.5	Resonant Response	74
3.6	Measurement of Viscous Damping	77
3.6.1	Resonant Amplification Method	78
3.6.2	Half Power (Bandwidth) Method	78
3.6.3	Energy Loss per Cycle: Resonant Testing Method	79
3.7	Measurement of Coulomb Damping	83
3.8	Illustrative Examples	84
	<i>Problems</i>	88
<b>Chapter 4</b>	<b>Single Degree of Freedom System: Periodic Loading</b>	<b>91</b>
4.1	Introduction	91
4.2	Fourier Series	92
4.3	Undamped System	93
4.4	Damped System	93
4.5	Exponential form of Fourier Series Solution	94
4.6	Frequency Domain Analysis	96
4.7	Illustrative Examples	98
4.8	MATLAB Applications	107
4.9	Human-induced Vibrations in Structures	114
4.9.1	Forces While Walking and Running	114
4.9.2	Vibration Modes of a Bridge Deck	115
4.9.3	Fourier Representation of Running Load	116
4.9.4	Fourier Representation of Walking Load	120
4.10	Codal Provisions for Human Induced Vibrations	120
4.10.1	Natural Frequency of Steel Framed Floor System	120
4.10.2	IS : 800 – 2007 Code Provisions	121
4.10.3	ISO 2631 – 1997 Provisions	121
4.10.4	ISO 10137 2007 Provisions	122
4.10.5	Eurocode Provisions	122
	<i>Problems</i>	126
	<i>References</i>	128
<b>Chapter 5</b>	<b>Single Degree of Freedom System: Impulse Loading</b>	<b>129</b>
5.1	Introduction	129
5.2	Duhamel Integral	129
5.3	Undamped System	130

5.4 Damped System	131
5.5 Shock Spectra	132
5.6 Illustrative Examples	132
<i>Problems</i>	157
<i>References</i>	159
<b>Chapter 6 Single Degree of Freedom System: Machine Vibrations</b>	<b>161</b>
6.1 Introduction	161
6.2 Vibration Isolation Due to Base Excitation	163
6.2.1 Isolation of Ground Acceleration	166
6.3 Vibration Isolation Due to Rotating Unbalance	166
6.4 Application to Earthquake Engineering	170
6.5 I.S. Code on Machine Foundations	170
6.5.1 General Requirements	173
6.6 Illustrative Examples	175
<i>Problems</i>	183
<i>References</i>	184
<i>Further Reading</i>	184
<b>Chapter 7 Direct Integration of Equation of Motion</b>	<b>185</b>
7.1 Introduction	185
7.2 Algorithms	186
7.3 Constant Acceleration Method	187
7.4 Central Difference Method	189
7.5 Incremental Equation of Motion	195
7.6 Linear Acceleration Method	196
7.6.1 Selection of the Time Increment $h$	199
7.7 Newmark $\beta$ Method	202
7.7.1 Stability of the Newmark Method	205
7.7.2 Newmark Method in Incremental Form	205
7.8 Wilson $\theta$ Method	212
7.9 Nonlinear Problems	214
<i>Problems</i>	215
<b>Chapter 8 Elastic Response Spectra</b>	<b>217</b>
8.1 Introduction	217
8.2 Mathematical Background	221
8.3 Elastic Response Spectra	222
8.3.1 Displacement Response Spectra	222
8.3.2 Velocity Response Spectra	223
8.3.3 Acceleration Response Spectra	224
8.4 Fourier Amplitude Spectra	232

8.5 Design Response Spectra	234
8.6 Housner's Average Spectra	236
8.7 Tripartite Graph	238
8.7.1 MATLAB Code	242
8.8 Elastic Design Tripartite Spectra	249
8.9 Indian Code:1893 Part 1-2002	253
8.9.1 Eurocode: EC8-part 1-2004	255
8.9.2 Design Spectrum	257
<i>Problems</i>	258
<i>References</i>	258

**PART 2      MULTI-DEGREE OF FREEDOM SYSTEMS      261**

**Chapter 9      Two-degree of Freedom Systems      263**

9.1 Introduction	263
9.2 Undamped Free Vibrations	263
9.3 Undamped Forced Vibrations	266
9.4 Damped Forced Vibrations	268
9.5 Undamped Vibration Absorber	269
9.6 Tuned Vibration Absorber	271
9.6.1 Effect of Mass Ratio on the Amplitude of Primary Mass	272
9.6.2 Secondary Mass with Viscous Damping	281
9.6.3 Applications	282
9.7 Illustrative Examples	285
<i>Problems</i>	303

**Chapter 10      Multi-degree of Freedom Systems      305**

10.1 Introduction	305
10.2 Spring Mass Model: MDOF System	306
10.3 Holtzer Method	309
10.4 Dynamic Equilibrium Condition: MDOF System	310
10.4.1 Elastic Force (Spring Force)	311
10.4.2 Damping Force	312
10.4.3 Inertia Force	312
10.5 Undamped Free Vibration Analysis	313
10.5.1 Solution of Eigenvalue Problem	315
10.5.2 Rayleigh's Quotient	316
10.5.3 Orthogonality Condition of Modes	317
10.5.4 Normalization of Modes	319
10.6 Transformation of Eigenvalue Problem to Standard Form	319
10.7 Normal Coordinates	320

10.8	Uncoupled Equations of Motion	321
10.9	Solution of Undamped Free Vibration Analysis	323
10.10	Response Spectrum Analysis	324
10.10.1	Member Forces	325
10.10.2	Modal Mass	326
10.10.3	Mode Superposition	327
10.10.4	Closely Spaced Modes	328
10.10.5	Minimum Number of Modes	329
10.11	Illustrative Examples	329
10.12	Rayleigh Damping	357
	<i>Problems</i>	360
<b>Chapter 11</b>	<b>Systems with Distributed Mass and Elasticity</b>	<b>363</b>
11.1	Introduction	363
11.2	Distributed Mass and Stiffness Systems	363
11.3	Simply Supported Beam	367
11.4	Cantilever Beam	369
11.5	Rayleigh's Principle: Conservation of Energy	371
11.6	Multi-degree of Freedom System	372
11.7	Improved Rayleigh Method	374
11.8	Generalized SDOF Systems	375
11.9	Illustrative Examples	377
11.10	Lumped Mass System: Shear Buildings	381
	<i>Problems</i>	385
	<i>Reference</i>	386
<b>PART 3</b>	<b>APPLICATION TO EARTHQUAKE ENGINEERING</b>	<b>387</b>
<b>Chapter 12</b>	<b>Analysis of Buildings for Earthquake Force</b>	<b>389</b>
12.1	Introduction	389
12.2	What is a Building?	390
12.3	Structural Systems	390
12.4	Concrete Frame and Shear Walls	395
12.5	Member Proportions	396
12.6	Irregularity in Configurations of Buildings	397
12.7	Modelling of a Building	399
12.8	Base Shear in a Building	400
12.9	Fundamental Period of Vibration	402

12.10 Earthquake Force	405
12.10.1 Seismic Coefficient Method	406
12.10.2 Response Spectrum Method	407
12.11 Response Reduction Factor	410
12.12 Building on Stilts	414
12.13 Deflection and Separation of Buildings	414
12.14 Illustrative Examples	415
12.15 Special Devices	438
12.15.1 Passive Control Systems	438
12.15.2 Active Control Systems	442
<i>Problems</i>	443
<i>References</i>	445
<b>Chapter 13 Nonlinear Analysis of Structures</b>	<b>447</b>
13.1 Introduction	447
13.2 Overview of Nonlinearity	448
13.2.1 Measure of Nonlinearity: Ductility	449
13.3 Modeling for Nonlinear Analysis	450
13.3.1 Steel Brace	451
13.3.2 Steel Beam	451
13.3.3 Steel Column	455
13.3.4 Concrete Beam	456
13.3.5 Concrete Column	459
13.3.6 Nonlinear Behaviour of Frames	459
13.4 Nonlinear Analysis	461
13.4.1 Newmark $\beta$ Method: <i>With Iterations</i>	464
13.4.2 Newmark $\beta$ Method: <i>Without Iterations</i>	466
13.5 Illustrative Examples	468
13.6 Inelastic Response Spectra	480
13.7 Smoothened Inelastic Response Spectra	483
13.7.1 New Zealand Code NZS 1170.5:2004	491
13.7.2 Eurocode EC8-part 1:2004	491
13.8 Illustrative Examples	493
13.9 Energy Dissipation Systems	501
13.9.1 Viscoelasticity	502
13.9.2 Hysteresis Behaviour of Dampers	503
13.9.3 ADAS Energy Dissipating System	505
13.10 Modeling of Expansion Gap in Bridges	508
13.11 Illustrative Examples	508
<i>Problems</i>	514
<i>References – Further Reading</i>	515

<b>Chapter 14</b>	<b>Performance-based Seismic Design of Structures</b>	<b>519</b>
14.1	Introduction	519
14.2	Performance-based Seismic Design	521
14.3	Acceptable Risk in an Earthquake	523
14.4	Requirements for Seismic Rehabilitation	524
14.4.1	Seismic Design Category	524
14.4.2	Building Performance Objectives	525
14.4.3	Rehabilitation Objectives	527
14.5	Nonlinear Procedures	528
14.5.1	Performance Point	531
14.6	Stress–strain Curve for Concrete Section	532
14.7	Moment–curvature Curve for Concrete Section	538
14.8	Axial Force–moment Interaction Curves for Concrete	544
14.9	Acceleration–displacement Response Spectra (ADRS)	545
14.9.1	Elastic A–D Response Spectra	545
14.9.2	Inelastic A–D Response Spectra	547
14.9.3	Acceptance Criteria for Nonlinear Procedures	549
14.10	Illustrative Examples	550
	<i>Problems</i>	571
	<i>References – Further Reading</i>	572
<b>PART 4</b>	<b>WIND LOAD</b>	<b>575</b>
<b>Chapter 15</b>	<b>Wind Load</b>	<b>577</b>
15.1	Introduction	577
15.2	Terminology	581
15.3	Wind Load	582
15.4	Static Wind Pressure	583
15.4.1	Change of Terrain	589
15.4.2	Design Wind Pressure	590
15.5	Illustrative Examples	590
15.6	Dynamic Wind Pressure	600
15.7	Illustrative Examples	602
15.8	Wind Load on a Truss Bridge	606
15.9	Response of Structures to Wind Load	609
	<i>Problems</i>	609
	<i>References – Further Reading</i>	612
<b>Appendix 1</b>	<b>Measuring Earthquakes: Magnitude and Intensity</b>	<b>615</b>
A1.1	Magnitude	615
A1.2	Intensity	616

<b>Appendix 2 MATLAB Basics</b>	<b>621</b>
A2.1 MATLAB Basics	621
A2.1.1 Help Command	621
A2.1.2 Parenthesis	621
A2.1.3 Defining Variables	622
A2.1.4 Define a Matrix	623
A2.1.5 Special Matrices	624
A2.1.6 Variable Name “ans”	625
A2.1.7 Who and Whos Commands	625
A2.1.8 Operators	625
A2.1.9 Functions	625
A2.1.10 Matrix Arithmetic and Functions	627
A2.1.11 Eigenvalues and Eigenvectors	630
A2.2 Working with MS Excel Files	630
A2.3 Conditional Statements	633
A2.4 Basic Graphing Routines	635
A2.5 MATLAB Programs with this Book	636
<b>Answers to Selected Problems</b>	<b>637</b>
<b>Index</b>	<b>645</b>



# Preface

It is needless to reemphasize the significance and importance of the subject of dynamics of structures when the architects and engineers are constantly craving for lightweight but strong materials, and lean and slim structures. Among the whole family of the subjects on *Structural Engineering*, this is indeed the most mathematical and, therefore, most scary. There are an umpteen number of textbooks available on the subject of Dynamics of Structures that discuss the derivation of equations along with their physical significance. Nevertheless, it is very difficult to visualize these equations. FORTRAN has been the most powerful and preferred programming language of structural engineers, but it was without graphic commands. The subjects of structural dynamics, stiffness matrix method, nonlinear behaviour of members and structures, FORTRAN language, and computer hardware and software have evolved together since early 1960s. There used to be special Tektronix and vt100 graphic terminals, and Calcomp plotters with proprietary graphics software. The biggest hurdle in understanding the subject of dynamics remained the inability of easy graphical representation of equations and dynamic response of structures. Remember SAP IV, DRAIN-2D and SAKE developed in early 1970s? With the beginning of the twenty-first century, all that has changed. The desktop and laptop computers, and colour laser printers with very high resolutions are easily available and affordable. MATLAB is a very powerful and user-friendly software for carrying out solution of extremely complicated mathematical equations with built-in graphic functions. Another very easy and powerful tool is the electronic worksheet such as MS-EXCEL.

The writing of this book was inspired by the following objectives:

- to present the subject matter with utmost ease,
- to provide necessary and detailed mathematical background,
- to introduce more illustrative examples,
- to present the subject matter useful to final year undergraduate and postgraduate students,
- to introduce MS-EXCEL and MATLAB,
- to introduce nonlinear modelling and analysis,
- to introduce special damping devices and their modelling, and
- to introduce practical applications useful to practicing engineers.



During the past few years, my students have greatly appreciated the power and impact of these tools in understanding the subject. An attempt has been made to present both elementary topics as well as advanced topics including acceleration–displacement response spectra (ADRS) and performance-based seismic design of structures. The response of structures with energy dissipating devices subjected to earthquakes is also presented.

## ORGANIZATION OF THE BOOK

---

A genuine effort has been made to develop the subject from the very basics of simple harmonic motion of a pendulum and introduce the concept of equation of motion. The next step is to find its solution. There are several techniques to solve the equations of motion for different types of dynamic loads. The analysis of structures due to different dynamic loads has been carried out in Chapters 3 to 7. The estimation of earthquake force has been discussed in Chapter 8. Analysis of two degrees of freedom system and tuned mass dampers has been developed in Chapter 9, whereas that of multi-degree-of-freedom systems has been developed in Chapters 10 and 11.

The analysis of multistorey reinforced concrete and steel buildings subjected to earthquake loads in accordance with IS:1893 code has been discussed in Chapter 12. Under a severe earthquake loading, a structure is expected to undergo inelastic region. Modelling for nonlinear analysis, hysteresis models, solution algorithms, energy dissipating devices, concept of ductility etc. are discussed in Chapter 13. Nowadays, there is a great emphasis on predicting the performance of a structure under earthquake loads. The intention is to know whether the structure will remain in *immediate occupancy, damage control, life safety, limited safety, or in structural stability states* during an earthquake event. In case there is a downtime for the building after an event, then how much will it be? What it will cost to the owner and its occupants as a result of downtime? What will be the estimated extent and cost of repair? Pushover analysis is used to study the performance-based design. These issues are discussed in Chapter 14. As on today, we may not have all the answers but these do indicate the direction of further research.

Finally, the last Chapter 15 is devoted to the estimation of wind loads based on IS:875-Part 3 and IRC6. Wind may be treated as a static load or dynamic load. The wind loads on various structures are calculated based on exhaustive studies in wind tunnels over an extended period of time in various countries. The concepts of fluid mechanics are involved in the estimation of wind loads. It is important to understand the estimation of drag coefficient for different shape and size of structures and their exposed structural elements. It is interesting to know that the dynamic wind loads are applied statically to a structure to understand its response.

Wherever required, IS:1893, IS:875-part 3, IS:2974, IRC 6, Eurocode 8, ASCE 7, AISC 341, NZS 1170 and ISO codes have been introduced. Federal Emergency Management Agency (FEMA), Washington, D.C., and Pacific Earthquake Engineering Research Center (PEER) have prepared several documents with detailed commentary and background notes including publications under the National Earthquake

Hazards Reduction Program (NEHRP). These publications have been introduced as appropriate. It is recommended that the reader should have a copy of these codes and research reports to understand and appreciate the latest developments.

## HOW TO STUDY THE SUBJECT OF DYNAMICS?

---

As already pointed out, this is a highly mathematical subject. It is recommended that the reader should himself/herself derive each equation and make it a general practice to represent them in graphical form. It will help develop an understanding of the nature of equations, their physical meaning and interpretation, and, therefore, behaviour of the structure under a given dynamic load. MATLAB is a very powerful tool for learning and exploring the subject. MS-EXCEL is another very powerful tool to carry out repetitive calculations and represent the data in graphical form. In addition, the dynamic response of structures subjected to earthquake loading should be understood using commercially available software such as SAP2000 and ETABS. The GUI in all these tools is extremely powerful and helpful in unravelling the mystery of dynamics of structures. All such tools must be fully exploited for effective computer-aided learning.

MATLAB source codes developed in this text can be obtained by requesting at [www.pearsoned.co.in/ashokk Jain](http://www.pearsoned.co.in/ashokk Jain)

## ACKNOWLEDGEMENTS

---

I wish to thank the following students with whom I had short but intense brainstorming sessions, *sometimes forced as is natural in dynamics*, on various aspects of structural dynamics while they were working on their research projects during their stay at Roorkee: M. R. Deshpande, S. S. Dasaka, Shri Pal, R. A. Mir, Satish Annigeri, Jainendra Agarwal, J. Satyanarayan, P. Rajeshwari, M. L. Meena, Abhijit S. Niphade, Sourabh Agrawal, Ranjith Shetty, Sujit Ashok Gangal, Payal Thukral, Abhinav Gupta, Shabbir Lokhandwala, Mandakini Dehuri, Pruthvik B. M., Alwin N., Ripu Daman Singh and Saurabh Khandelwal. In addition, there were several other students who worked on static problems and had very stimulating technical sessions with me.

Special thanks to Ashok Mittal for our long-distance telephonic discussions on various aspects of earthquake engineering from the point of view of a structural designer who was chasing deadlines to finalize computer models and issue structural drawings, and there remained a few fundamental issues still unresolved. I must admit that I learnt wind loads from A. K. M. Tripathi who had a deep understanding of wind loads on TV and MW towers. Sincere thanks to Aparna K. P. who worked with me for her Master's thesis with a clean slate and in a very short time picked up the fine points of inelastic response spectra and acceleration–displacement response spectra, and helped produce numerous tables and graphs.

How can I forget my *alma mater*, the erstwhile University of Roorkee and now Indian Institute of Technology Roorkee, situated in a very small and calm town on the banks of Ganga and foothills of Himalaya, for providing an excellent work environment, library and computing facilities to learn, learn and learn? The University of Michigan at Ann Arbor, my another *alma mater*, provided me with excellent laboratory facilities in its North Campus to generate hysteresis loops for steel bracing members, and computing facilities in its main campus to study the inelastic seismic response of concentrically and eccentrically braced steel frames.

I acknowledge the editorial and production teams at Pearson consisting of R. Dheepika, C. Purushothaman and Sojan Jose for their untiring efforts and tolerating my last-minute changes in producing this book in the present form.

Lastly, I wish to thank my wife Sarita, our children Payal and Gaurav, son-in-law Vikash and daughter-in-law Saavy, for their unconditional support and encouragement in writing this book. I also thank my father who constantly advised me to write a book exclusively on earthquake engineering but some how I wasn't convinced.

**Ashok K. Jain**



# About the Author

Dr Ashok K. Jain is Professor of Civil Engineering at the Indian Institute of Technology Roorkee (formerly University of Roorkee), obtained his B.E. and M.E. degrees with honours from the University of Roorkee in 1972 and 1974, and a doctorate degree from the University of Michigan, Ann Arbor, in 1978. His main areas of interest include multistoreyed buildings, concrete and steel bridges, and nonlinear seismic response of structures. Besides teaching and research, he has been a structural consultant to various state and central government agencies as well as many private companies. A recipient of several awards, he has been a research fellow at the University of Michigan; a visiting Professor at the McGill University, Montreal; Director, Malaviya National Institute of Technology, Jaipur; and Head of Civil Engineering Department, I.I.T. Roorkee.

*This page is intentionally left blank*

PART

1

# SINGLE DEGREE OF FREEDOM SYSTEMS

*This page is intentionally left blank*

# 1

# Introduction to Structural Dynamics

## 1.1 INTRODUCTION

---

There are many situations in real life when a structure is subjected to vibrations caused by *dynamic loads* due to machines, road traffic, rail traffic or air traffic, wind, earthquake, blast loading, sea waves, or tsunamis. The movement of pedestrians may cause vibrations in a floor of a building and in a suspension bridge. The term *dynamic loads* includes any loading which varies with time. The manner in which a *structure* responds to a given dynamic excitation depends upon the nature of excitation and the dynamic characteristics of the structure, that is, the manner in which it stores and dissipates energy. The energy is stored in the form of potential energy and is dissipated in the form of kinetic energy through vibrations. Some of these loads could lead to catastrophic loss to lives and properties in a very short span of time while the others cause irritation to the users of the facility. If the vibrations are small but persistent, this condition may lead to cracking in joints and members of a structure. In earlier days, a simplified solution was arrived at by treating the *dynamic load* as *equivalent static load*. Under certain conditions, this idealization works quite well. However, with better understanding of dynamics of structures, it is desirable to develop more efficient solutions by realistically modelling the loads taking account of their dynamic nature. When a dynamic load is applied to the structure it produces a time-dependent response in each element of the structure. The organization of structural systems to resist such loadings has a major influence on the overall planning, design and economics of a structure.

The subject of dynamics of structures becomes quite complex because of a large number of variables involved in the problem. The term *structure* encompasses a single-storey building to a multi-storey building, small overhead water tanks to large water tanks of different shapes, small bridges to large bridges of different materials and configurations, viaducts, microwave and TV towers, industrial structures, machine foundations, theatres, stadiums, airports, jetties and so on. Mass and stiffness of a structure along with their spatial distribution define the structure. Material used in structures is another parameter that defines the structure. Damping is generally associated with materials. Finally the *amplitude*, *frequency* and *duration of load* lead to another complication. Earthquake loading is a complex variant of this. Some of the dynamic loads are *deterministic* while the others are *non-deterministic or probabilistic*. Some of the structures will respond to dynamic loads in *linear and elastic* range while the others



may venture into *nonlinear elastic* or *nonlinear inelastic* range. The role of a structural analyst is to identify each of these parameters and determine the response of the structure as accurately as possible. The study of vibrations, that is, their cause, measurement, analysis and effect on the structure is called *dynamics of structures*.

The details of excitation, structure and response are illustrated in Figures 1.1 to 1.5. The excitation shown in Figures 1.2(b) and 1.2(c) may be static or dynamic or even slow dynamic. A slow dynamic load is also called pseudo static load. It is very helpful in conducting tests in laboratory.




Figure 1.1 Cause and effect on a structure.




Figure 1.2(a) Source of excitation.







Figure 1.2(b) Nature of excitation.



(i) Monotonic loading




(ii) Cyclic loading



(iii) Reversed cyclic loading

**Figure 1.2(c)** Nature of excitation.



**Figure 1.3** Assessment of dynamic load.




Figure 1.4 Properties of a structure.




Figure 1.5 Type of response.

### 1.1.1 Why Dynamic Analysis?

The objective of dynamic analysis is to determine the displacement–time history, velocity–time history and acceleration–time history, and internal member force – time history due to the given force–time history. The time history provides the following information:

- Peak values (positive and negative)
- Mean value
- Nature of change in the response parameter—that is, its frequency (only qualitatively)
- Oscillations with respect to its mean position.

It is possible to determine absolute maximum displacement, absolute maximum velocity and absolute maximum acceleration. Knowing stiffness of the structure, forces in various members can be calculated. The dynamic member forces can be superimposed on those due to static loads in different load combinations. The design member forces can be estimated for the chosen design philosophy, that is, *limit state design* or *performance based design philosophy*.

Let us discuss some of the terminologies used in dynamic analysis of structures.

**Amplitude** The maximum value of a periodic function (which may be displacement, velocity, acceleration or force) is called amplitude.

**Damping** It is the dissipation of energy that causes the amplitude of motion of a freely vibrating structure to decrease with each cycle with the motion eventually dying

out. The term ‘damping’ is widely applied to energy dissipation mechanisms that are not associated with structural damage. It may be natural or artificial, that is, external. Natural damping is an inherent property of the material. There are different types of damping such as viscous damping, friction damping and hysteretic damping.

*Degree of Freedom* The number of independent displacement components required to define the deflected shape of a structure is called degree of freedom. If only a single displacement is required to define its deflected shape, it is called a single-degree-of-freedom (SDOF) system. If ‘n’ degrees are required, it is called a multi-degrees-of-freedom system.

*Deterministic* When a given parameter is fully known and there are no uncertainties surrounding the values of the parameter, it is called deterministic.

*Forced Vibration* When a structure vibrates under the influence of an external force, it is called forced vibration.

*Free Vibration* When a structure vibrates without any externally applied force such as when it is pulled out of position and then released gently, it is called free vibration.

*Frequency* The number of cycles of motion completed during a unit time interval (i.e., radian per second or cycles per second) is called frequency. Frequency is the inverse of period (that is, a structure with a natural period of 0.5 second has a natural frequency of 2 cycles per second or 2 Hz). When a structure vibrates freely without any external force, it is said to have one or more *natural frequency* or *natural period* of vibration depending upon its degrees of freedom.

*Fundamental Frequency* The smallest frequency of vibration of a structure is called the fundamental frequency.

*Fundamental Period* The longest period of vibration of a structure is called the fundamental period.

*Mode Shape* A structure is assumed to vibrate in different modes depending upon its natural frequencies. The total number of modes depends upon the total active degrees of freedom of the structure. There will be a unique mode of vibration corresponding to each natural frequency.

*Non-deterministic or Probabilistic* When a given parameter is not fully known and there are uncertainties surrounding the values of the parameter, it is called non-deterministic or probabilistic. Thus, probability of uncertainties associated with all variables used explicitly or implicitly to define the parameter would be formally taken into account.

*Period* The duration of one cycle of motion in second is called period.

*Resonance* The amplification of response that occurs under forced vibration when period of the applied force is equal or very close to the natural period of the structure is called resonance. The amplitude of vibrations is maximum at resonance and may lead to damage to the machine, structure or its foundation.

*Steady State Vibration* When a structure vibrates under the influence of an external periodic force, it is said to be in a steady state.

*Stochastic* It is synonymous with the term ‘random’. It is of Greek origin and means pertaining to chance or randomly determined sequence of observations. It is same as *non-deterministic*.

*Transient Vibration* These vibrations depend upon the initial conditions of the structure (displacement and velocity at time  $t = 0$ ) and die out shortly due to the inherent damping present in a structure.

## 1.2 PHYSICAL AND MATHEMATICAL MODELLING

Civil engineering structures are conceived to meet the functional and aesthetical requirements. They consist of a combination of structural elements and non-structural elements. It is a standard practice to idealize a physical problem into a mathematical problem in order to study its response under the applied loads. It may be modelled as a one-, two- or a three-dimensional problem as shown in Figure 1.6. The non-structural elements are generally not modelled. Next, it is necessary to determine the *force-deformation* relationship for this mathematical model. For small deformations, the force-deformation relation is usually *linear and elastic*. The slope of this relation gives stiffness of the structure. At larger displacements, the slope may become *non-linear*. The structure may or may not remain *elastic*. Therefore, depending upon the state of the structure, stiffness may be *non-linear-elastic* or *non-linear-inelastic*. The estimation of stiffness of the structure is required, both for static analysis and dynamic analysis. For a complex structure consisting of large number of similar or different types of




Figure 1.6 Modelling of a structure.

structural elements, stiffness is generated from the element level as done in the *matrix method of structural analysis*. The same procedure may be followed for dynamic analysis of structures. Sometimes it may not be easy to find solution of the mathematical model subjected to given loads in the absence of known appropriate boundary conditions. Therefore, it may be necessary to develop a numerical model of the problem and solve it using one or more *numerical techniques*.

Sometimes it is necessary to include soil and foundation in the model to examine the effect of soil–structure interaction. The problem now becomes very complex. The treatment requires advanced treatment that is beyond the scope of the present text.

Let us consider a simple pendulum consisting of a mass suspended from a massless rod as shown in Figure 1.7.

This pendulum can be displaced slightly horizontally and released gently. It sets into simple harmonic motion whose equation is given by the principles of physics, that is, *Newton's second law of motion*:

$$\ddot{x} \propto -x \quad (1.1a)$$

or, 
$$\ddot{x} = -\omega^2 x \quad (1.1b)$$

where, 
$$\ddot{x} = \frac{d^2 x}{dt^2} \text{ acceleration} \quad (1.1c)$$

$$\omega = \sqrt{\frac{k}{m}} \quad (1.1d)$$

$k$  = stiffness of the rod =  $AE/L$

$m$  = total mass


$\omega$  = natural frequency of vibration in rad/sec

$$\omega = \frac{2\pi}{T} = 2\pi f \quad (1.1e)$$

$f$  = natural frequency of vibration in cycles/sec or in Hz

$$T = \frac{1}{f} = 2\pi \sqrt{\frac{m}{k}} \quad (1.1f)$$

$T$  = natural period of vibration in sec



**Figure 1.7** Simple pendulum.